

BORDERTEC BBS-BCS


PRODUCT DESCRIPTION



This is a perimeter profile for the finishing and protection of the external tile border. It also has an upper edging trim designed to frame tiled surfaces where they are laid flush with the screed.


TECHNICAL FEATURES

Length: 2.70 meters - 8'10"




Stainless Steel BBS

H = 3/8" - 10 mm
B = 7/16" - 11.4 mm




Aluminum BBS30

H = 3/8" - 10 mm
B = 7/16" - 11.4 mm




Aluminum BBS

H = 3/8" - 10 mm




Stainless Steel BCS

H = 1/2" - 12.5 mm
B = 7/16" - 11.4 mm



Aluminum BCS30

H = 1/2" - 12.5 mm
B = 7/16" - 11.4 mm



Aluminum BCS

H = 1/2" - 12.5 mm

ACCESSORIES






BBSI 42



BBSG



BBSE A22



MATERIAL DESCRIPTION

Stainless Steel

Steel profiles are made by cold forming sheets of constant thickness, thus differing from the corresponding aluminum and brass versions made by hot extrusion, while maintaining their application and dimensional characteristics. Stainless steel effectively resists high mechanical stress and is particularly suitable for use in the chemical, food, and hospital sectors, where hygiene, durability, and chemical resistance are essential. Normally produced with a semi-gloss finish, a brushed finish can also be achieved by partially removing material using rotating nylon and quartz fiber brushes. This process gives the surface a matte appearance without altering its characteristics.

AISI 304 STAINLESS STEEL - EN X 5 CrNi 18 10 - DIN 1.4301:

This steel belongs to the AUSTENITIC category and is the most widespread and commonly used alloy for products requiring high technical and performance characteristics. It is highly resistant to most chemical agents but may stain or darken superficially; a standard polishing product is sufficient to restore its original appearance.



IS

bordertec >> BBS in Stainless Steel AISI 304 - DIN 1.4301 Brushed		
Item	H1 inch	Finish
BBS42IS270	1-21/32	IS - Brushed
BBS55IS270	2-5/32	IS - Brushed
BBS75IS270	2-15/16	IS - Brushed
BBS95IS270	3-3/4	IS - Brushed

bordertec >> BBSE External corner in Stainless Steel AISI 304 - DIN 1.4301		
Item	H1 inch	Finish
BBSE42IS	1-21/32	IS - Brushed
BBSE55IS	2-5/32	IS - Brushed
BBSE75IS	2-15/16	IS - Brushed
BBSE95IS	3-3/4	IS - Brushed

bordertec >> BBSG Joint in Stainless Steel AISI 304 - DIN 1.4301		
Item	H1 inch	Finish
BBSG42IS	1-21/32	IS - Brushed
BBSG55IS	2-5/32	IS - Brushed
BBSG75IS	2-15/16	IS - Brushed
BBSG95IS	3-3/4	IS - Brushed

bordertec >> BCS in Stainless Steel AISI 304 - DIN 1.4301 Brushed		
Item	H1 inch	Finish
BCS42IS270	1-21/32	IS - Brushed
BCS55IS270	2-5/32	IS - Brushed
BCS75IS270	2-15/16	IS - Brushed
BCS95IS270	3-3/4	IS - Brushed

bordertec >> BCSE External corner in Stainless Steel AISI 304 - DIN 1.4301		
Item	H1 inch	Finish
BCSE42IS	1-21/32	IS - Brushed
BCSE55IS	2-5/32	IS - Brushed
BCSE75IS	2-15/16	IS - Brushed
BCSE95IS	3-3/4	IS - Brushed

bordertec >> BCSG Joint in Stainless Steel AISI 304 - DIN 1.4301		
Item	H1 inch	Finish
BCSG42IS	1-21/32	IS - Brushed
BCSG55IS	2-5/32	IS - Brushed
BCSG75IS	2-15/16	IS - Brushed
BCSG95IS	3-3/4	IS - Brushed

Profilitec S.p.A.
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
Tel: +39 0444 268311
e-mail: profilitec@profilitec.com

Profilitec Corp.
e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
e-mail: iberica@profilitec.com

Profilitec France
e-mail: france@profilitec.com

MATERIAL DESCRIPTION

Aluminum

The primary aluminum alloy EN AW-6060 in T6 temper is suitable for complex extrusions, offering high strength and an excellent natural surface finish that lends itself well to subsequent finishing processes.

ANODIZED ALUMINUM:

The anodic oxidation process provides protection against corrosion caused by atmospheric agents, without involving galvanic treatments.

In accordance with the EN 12373 standard, profiles undergo preliminary treatments that create a uniformly matte surface. They are then colored through an electrochemical oxidation process in standard finishes: Silver, Gold, Bronze, Copper, and Titanium, with a coating thickness of up to 20 microns.

POWDER COATED ALUMINUM:

Powder coating begins with a chromium phosphate pre-treatment, followed by electrostatic application of polyester powders that offer high resistance to U.V. rays and atmospheric agents. The entire surface of the profile is coated with an average thickness of approximately 60 microns. A hot cross-linking polymerization process is then carried out to ensure maximum chemical and mechanical resistance.



AS



A11



A14



A22



A24



A25



A50



A60



A63



A64

bordertec >> BBS in Anodized Aluminum		
Item	H1 inch	Finish
BBS30AS270	1-3/16	AS - Silver

bordertec >> BBSE Corner Outside Anodized Aluminum		
Item	H1 inch	Finish
BBSE30AS	1-3/16	AS - Silver

bordertec >> BBSG Anodized Aluminum Joint		
Item	H1 inch	Finish
BBSG30AS	1-3/16	AS - Silver

bordertec >> BCS in Anodized Aluminum		
Item	H1 inch	Finish
BCS30AS270	1-3/16	AS - Silver

bordertec >> BCSE Corner Outside Anodized Aluminum		
Item	H1 inch	Finish
BCSE30AS	1-3/16	AS - Silver

bordertec >> BCSG Anodized Aluminum Joint		
Item	H1 inch	Finish
BCSG30AS	1-3/16	AS - Silver

bordertec >> BBS in Powder Coated Aluminum		
Item	H1 inch	Finish
BBS30A11270	1-3/16	A11 - Pure White
BBS42A11270	1-21/32	A11 - Pure White
BBS55A11270	2-5/32	A11 - Pure White
BBS75A11270	2-15/16	A11 - Pure White
BBS95A11270	3-3/4	A11 - Pure White
BBS30A22270	1-3/16	A22 - Pastel Grey
BBS42A22270	1-21/32	A22 - Pastel Grey
BBS55A22270	2-5/32	A22 - Pastel Grey
BBS75A22270	2-15/16	A22 - Pastel Grey
BBS95A22270	3-3/4	A22 - Pastel Grey

bordertec >> BBSE External corner in Powder Coated Aluminum		
Item	H1 inch	Finish
BBSE30A11	1-3/16	A11 - Pure White
BBSE42A11	1-21/32	A11 - Pure White
BBSE55A11	2-5/32	A11 - Pure White
BBSE75A11	2-15/16	A11 - Pure White
BBSE95A11	3-3/4	A11 - Pure White
BBSE30A22	1-3/16	A22 - Pastel Grey
BBSE42A22	1-21/32	A22 - Pastel Grey
BBSE55A22	2-5/32	A22 - Pastel Grey
BBSE75A22	2-15/16	A22 - Pastel Grey
BBSE95A22	3-3/4	A22 - Pastel Grey

Profilitec S.p.A.
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
Tel: +39 0444 268311
e-mail: profilitec@profilitec.com

Profilitec Corp.
e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
e-mail: iberica@profilitec.com

Profilitec France
e-mail: france@profilitec.com

bordertec >> BBSG Joint in Powder Coated Aluminum		
Item	H1 inch	Finish
BBSG30A11	1-3/16	A11 - Pure White
BBSG42A11	1-21/32	A11 - Pure White
BBSG55A11	2-5/32	A11 - Pure White
BBSG75A11	2-15/16	A11 - Pure White
BBSG95A11	3-3/4	A11 - Pure White
BBSG30A22	1-3/16	A22 - Pastel Grey
BBSG42A22	1-21/32	A22 - Pastel Grey
BBSG55A22	2-5/32	A22 - Pastel Grey
BBSG75A22	2-15/16	A22 - Pastel Grey
BBSG95A22	3-3/4	A22 - Pastel Grey



bordertec >> BBSI Internal corner in Powder Coated Aluminum		
Item	H1 inch	Finish
BBSI42A11	1-21/32	A11 - Pure White
BBSI55A11	2-5/32	A11 - Pure White
BBSI42A22	1-21/32	A22 - Pastel Grey
BBSI55A22	2-5/32	A22 - Pastel Grey

bordertec >> BBSGT Joint for terraces in Powder Coated Aluminum		
Item	H1 inch	Finish
BBSGT42A22	1-21/32	A22 - Pastel Grey

bordertec >> BCS in Powder Coated Aluminum		
Item	H1 inch	Finish
BCS30A11270	1-3/16	A11 - Pure White
BCS42A11270	1-21/32	A11 - Pure White
BCS55A11270	2-5/32	A11 - Pure White
BCS75A11270	2-15/16	A11 - Pure White
BCS95A11270	3-3/4	A11 - Pure White
BCS30A22270	1-3/16	A22 - Pastel Grey
BCS42A22270	1-21/32	A22 - Pastel Grey
BCS55A22270	2-5/32	A22 - Pastel Grey
BCS75A22270	2-15/16	A22 - Pastel Grey
BCS95A22270	3-3/4	A22 - Pastel Grey

bordertec >> BCSE External corner in Powder Coated Aluminum		
Item	H1 inch	Finish
BCSE30A11	1-3/16	A11 - Pure White
BCSE42A11	1-21/32	A11 - Pure White
BCSE55A11	2-5/32	A11 - Pure White
BCSE75A11	2-15/16	A11 - Pure White
BCSE95A11	3-3/4	A11 - Pure White
BCSE30A22	1-3/16	A22 - Pastel Grey
BCSE42A22	1-21/32	A22 - Pastel Grey
BCSE55A22	2-5/32	A22 - Pastel Grey
BCSE75A22	2-15/16	A22 - Pastel Grey
BCSE95A22	3-3/4	A22 - Pastel Grey

bordertec >> BCSG Joint in Powder Coated Aluminum		
Item	H1 inch	Finish
BCSG30A11	1-3/16	A11 - Pure White
BCSG42A11	1-21/32	A11 - Pure White
BCSG55A11	2-5/32	A11 - Pure White
BCSG75A11	2-15/16	A11 - Pure White
BCSG95A11	3-3/4	A11 - Pure White
BCSG30A22	1-3/16	A22 - Pastel Grey
BCSG42A22	1-21/32	A22 - Pastel Grey
BCSG55A22	2-5/32	A22 - Pastel Grey
BCSG75A22	2-15/16	A22 - Pastel Grey
BCSG95A22	3-3/4	A22 - Pastel Grey



Profilitec S.p.A.
 Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
 Tel: +39 0444 268311
 e-mail: profilitec@profilitec.com

Profilitec Corp.
 e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
 e-mail: iberica@profilitec.com

Profilitec France
 e-mail: france@profilitec.com

bordertec >> BBS in Embossed Powder Coated Aluminum		
Item	H1 inch	Finish
BBS30A14270	1-3/16	A14 - White Arctic
BBS42A14270	1-21/32	A14 - White arctic
BBS55A14270	2-5/32	A14 - White arctic
BBS75A14270	2-15/16	A14 - White arctic
BBS95A14270	3-3/4	A14 - White arctic
BBS30A24270	1-3/16	A24 - Embossed Pastel Grey
BBS42A24270	1-21/32	A24 - Embossed Pastel Grey
BBS55A24270	2-5/32	A24 - Embossed Pastel Grey
BBS75A24270	2-15/16	A24 - Embossed Pastel Grey
BBS95A24270	3-3/4	A24 - Embossed Pastel Grey
BBS30A25270	1-3/16	A25 - Embossed Cement Grey
BBS42A25270	1-21/32	A25 - Embossed Cement Grey
BBS55A25270	2-5/32	A25 - Embossed Cement Grey
BBS75A25270	2-15/16	A25 - Embossed Cement Grey
BBS95A25270	3-3/4	A25 - Embossed Cement Grey
BBS30A50270	1-3/16	A50 - Embos. Micaceous Grey
BBS42A50270	1-21/32	A50 - Embossed Micaceous
BBS55A50270	2-5/32	A50 - Embossed Micaceous
BBS75A50270	2-15/16	A50 - Embossed Micaceous
BBS95A50270	3-3/4	A50 - Embossed Micaceous
BBS30A60270	1-3/16	A60 - Embossed Corten
BBS42A60270	1-21/32	A60 - Embossed Corten
BBS55A60270	2-5/32	A60 - Embossed Corten
BBS75A60270	2-15/16	A60 - Embossed Corten
BBS95A60270	3-3/4	A60 - Embossed Corten
BBS30A63270	1-3/16	A63 - Dark Brown
BBS42A63270	1-21/32	A63 - Dark Brown
BBS55A63270	2-5/32	A63 - Dark Brown
BBS75A63270	2-15/16	A63 - Dark Brown
BBS95A63270	3-3/4	A63 - Dark Brown
BBS30A64270	1-3/16	A64 - Embossed Dark Brown
BBS42A64270	1-21/32	A64 - Embossed Dark Brown
BBS55A64270	2-5/32	A64 - Embossed Dark Brown
BBS75A64270	2-15/16	A64 - Embossed Dark Brown
BBS95A64270	3-3/4	A64 - Embossed Dark Brown

bordertec >> BBSI Internal Corner in Embossed Powder Coated Aluminum		
Item	H1 inch	Finish
BBSI42A50	1-21/32	A50 - Embossed Micaceous
BBSI55A50	2-5/32	A50 - Embossed Micaceous

bordertec >> BBSE External corner in Embossed Powder Coated Aluminum		
Item	H1 inch	Finish
BBSE30A14	1-3/16	A14 - White Arctic
BBSE42A14	1-21/32	A14 - White arctic
BBSE55A14	2-5/32	A14 - White arctic
BBSE75A14	2-15/16	A14 - White arctic
BBSE95A14	3-3/4	A14 - White arctic
BBSE30A24	1-3/16	A24 - Embossed Pastel Grey
BBSE42A24	1-21/32	A24 - Embossed Pastel Grey
BBSE55A24	2-5/32	A24 - Embossed Pastel Grey
BBSE75A24	2-15/16	A24 - Embossed Pastel Grey
BBSE95A24	3-3/4	A24 - Embossed Pastel Grey
BBSE30A25	1-3/16	A25 - Embossed Cement Grey
BBSE42A25	1-21/32	A25 - Embossed Cement Grey
BBSE55A25	2-5/32	A25 - Embossed Cement Grey
BBSE75A25	2-15/16	A25 - Embossed Cement Grey
BBSE95A25	3-3/4	A25 - Embossed Cement Grey
BBSE30A50	1-3/16	A50 - Embos. Micaceous Grey
BBSE42A50	1-21/32	A50 - Embossed Micaceous
BBSE55A50	2-5/32	A50 - Embossed Micaceous
BBSE75A50	2-15/16	A50 - Embossed Micaceous
BBSE95A50	3-3/4	A50 - Embossed Micaceous
BBSE30A60	1-3/16	A60 - Embossed Corten
BBSE42A60	1-21/32	A60 - Embossed Corten
BBSE55A60	2-5/32	A60 - Embossed Corten
BBSE75A60	2-15/16	A60 - Embossed Corten
BBSE95A60	3-3/4	A60 - Embossed Corten
BBSE30A63	1-3/16	A63 - Dark Brown
BBSE42A63	1-21/32	A63 - Dark Brown
BBSE55A63	2-5/32	A63 - Dark Brown
BBSE75A63	2-15/16	A63 - Dark Brown
BBSE95A63	3-3/4	A63 - Dark Brown
BBSE30A64	1-3/16	A64 - Embossed Dark Brown
BBSE42A64	1-21/32	A64 - Embossed Dark Brown
BBSE55A64	2-5/32	A64 - Embossed Dark Brown
BBSE75A64	2-15/16	A64 - Embossed Dark Brown
BBSE95A64	3-3/4	A64 - Embossed Dark Brown

bordertec >> BBSG Joint in Embossed Powder Coated Aluminum		
Item	H1 inch	Finish
BBSG30A14	1-3/16	A14 - White Arctic
BBSG42A14	1-21/32	A14 - White arctic
BBSG55A14	2-5/32	A14 - White arctic
BBSG75A14	2-15/16	A14 - White arctic
BBSG95A14	3-3/4	A14 - White arctic
BBSG30A24	1-3/16	A24 - Embossed Pastel Grey
BBSG42A24	1-21/32	A24 - Embossed Pastel Grey
BBSG55A24	2-5/32	A24 - Embossed Pastel Grey
BBSG75A24	2-15/16	A24 - Embossed Pastel Grey
BBSG95A24	3-3/4	A24 - Embossed Pastel Grey
BBSG30A25	1-3/16	A25 - Embossed Cement Grey
BBSG42A25	1-21/32	A25 - Embossed Cement Grey
BBSG55A25	2-5/32	A25 - Embossed Cement Grey
BBSG75A25	2-15/16	A25 - Embossed Cement Grey
BBSG95A25	3-3/4	A25 - Embossed Cement Grey
BBSG30A50	1-3/16	A50 - Embos. Micaceous Grey
BBSG42A50	1-21/32	A50 - Embossed Micaceous
BBSG55A50	2-5/32	A50 - Embossed Micaceous
BBSG75A50	2-15/16	A50 - Embossed Micaceous
BBSG95A50	3-3/4	A50 - Embossed Micaceous

Profilitec S.p.A.
 Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
 Tel: +39 0444 268311
 e-mail: profilitec@profilitec.com

Profilitec Corp.
 e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
 e-mail: iberica@profilitec.com

Profilitec France
 e-mail: france@profilitec.com

BBSG30A60	1-3/16	A60 - Embossed Corten
BBSG42A60	1-21/32	A60 - Embossed Corten
BBSG55A60	2-5/32	A60 - Embossed Corten
BBSG75A60	2-15/16	A60 - Embossed Corten
BBSG95A60	3-3/4	A60 - Embossed Corten
BBSG30A63	1-3/16	A63 - Dark Brown
BBSG42A63	1-21/32	A63 - Dark Brown
BBSG55A63	2-5/32	A63 - Dark Brown
BBSG75A63	2-15/16	A63 - Dark Brown
BBSG95A63	3-3/4	A63 - Dark Brown
BBSG30A64	1-3/16	A64 - Embossed Dark Brown
BBSG42A64	1-21/32	A64 - Embossed Dark Brown
BBSG55A64	2-5/32	A64 - Embossed Dark Brown
BBSG75A64	2-15/16	A64 - Embossed Dark Brown
BBSG95A64	3-3/4	A64 - Embossed Dark Brown

bordertec >> BCS in Embossed Powder Coated Aluminum		
Item	H1 inch	Finish
BCS30A14270	1-3/16	A14 - White Arctic
BCS42A14270	1-21/32	A14 - White arctic
BCS55A14270	2-5/32	A14 - White arctic
BCS75A14270	2-15/16	A14 - White arctic
BCS95A14270	3-3/4	A14 - White arctic
BCS30A24270	1-3/16	A24 - Embossed Pastel Grey
BCS42A24270	1-21/32	A24 - Embossed Pastel Grey
BCS55A24270	2-5/32	A24 - Embossed Pastel Grey
BCS75A24270	2-15/16	A24 - Embossed Pastel Grey
BCS95A24270	3-3/4	A24 - Embossed Pastel Grey
BCS30A25270	1-3/16	A25 - Embossed Cement Grey
BCS42A25270	1-21/32	A25 - Embossed Cement Grey
BCS55A25270	2-5/32	A25 - Embossed Cement Grey
BCS75A25270	2-15/16	A25 - Embossed Cement Grey
BCS95A25270	3-3/4	A25 - Embossed Cement Grey
BCS30A50270	1-3/16	A50 - Embos. Micaceous Grey
BCS42A50270	1-21/32	A50 - Embossed Micaceous
BCS55A50270	2-5/32	A50 - Embossed Micaceous
BCS75A50270	2-15/16	A50 - Embossed Micaceous
BCS95A50270	3-3/4	A50 - Embossed Micaceous
BCS30A60270	1-3/16	A60 - Embossed Corten
BCS42A60270	1-21/32	A60 - Embossed Corten
BCS55A60270	2-5/32	A60 - Embossed Corten
BCS75A60270	2-15/16	A60 - Embossed Corten
BCS95A60270	3-3/4	A60 - Embossed Corten
BCS30A63270	1-3/16	A63 - Dark Brown
BCS42A63270	1-21/32	A63 - Dark Brown
BCS55A63270	2-5/32	A63 - Dark Brown
BCS75A63270	2-15/16	A63 - Dark Brown
BCS95A63270	3-3/4	A63 - Dark Brown
BCS30A64270	1-3/16	A64 - Embossed Dark Brown
BCS42A64270	1-21/32	A64 - Embossed Dark Brown
BCS55A64270	2-5/32	A64 - Embossed Dark Brown
BCS75A64270	2-15/16	A64 - Embossed Dark Brown
BCS95A64270	3-3/4	A64 - Embossed Dark Brown

bordertec >> BCSE External corner in Embossed Powder Coated Aluminum		
Item	H1 inch	Finish
BCSE30A14	1-3/16	A14 - White Arctic
BCSE42A14	1-21/32	A14 - White arctic
BCSE55A14	2-5/32	A14 - White arctic
BCSE75A14	2-15/16	A14 - White arctic
BCSE95A14	3-3/4	A14 - White arctic
BCSE30A24	1-3/16	A24 - Embossed Pastel Grey
BCSE42A24	1-21/32	A24 - Embossed Pastel Grey
BCSE55A24	2-5/32	A24 - Embossed Pastel Grey
BCSE75A24	2-15/16	A24 - Embossed Pastel Grey
BCSE95A24	3-3/4	A24 - Embossed Pastel Grey
BCSE30A25	1-3/16	A25 - Embossed Cement Grey
BCSE42A25	1-21/32	A25 - Embossed Cement Grey
BCSE55A25	2-5/32	A25 - Embossed Cement Grey
BCSE75A25	2-15/16	A25 - Embossed Cement Grey
BCSE95A25	3-3/4	A25 - Embossed Cement Grey
BCSE30A50	1-3/16	A50 - Embos. Micaceous Grey
BCSE42A50	1-21/32	A50 - Embossed Micaceous
BCSE55A50	2-5/32	A50 - Embossed Micaceous
BCSE75A50	2-15/16	A50 - Embossed Micaceous
BCSE95A50	3-3/4	A50 - Embossed Micaceous
BCSE30A60	1-3/16	A60 - Embossed Corten
BCSE42A60	1-21/32	A60 - Embossed Corten
BCSE55A60	2-5/32	A60 - Embossed Corten
BCSE75A60	2-15/16	A60 - Embossed Corten
BCSE95A60	3-3/4	A60 - Embossed Corten
BCSE30A63	1-3/16	A63 - Dark Brown
BCSE42A63	1-21/32	A63 - Dark Brown
BCSE55A63	2-5/32	A63 - Dark Brown
BCSE75A63	2-15/16	A63 - Dark Brown
BCSE95A63	3-3/4	A63 - Dark Brown
BCSE30A64	1-3/16	A64 - Embossed Dark Brown
BCSE42A64	1-21/32	A64 - Embossed Dark Brown
BCSE55A64	2-5/32	A64 - Embossed Dark Brown
BCSE75A64	2-15/16	A64 - Embossed Dark Brown
BCSE95A64	3-3/4	A64 - Embossed Dark Brown

Profilitec S.p.A.
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
Tel: +39 0444 268311
e-mail: profilitec@profilitec.com

Profilitec Corp.
e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
e-mail: iberica@profilitec.com

Profilitec France
e-mail: france@profilitec.com

bordertec >> BCSG Joint in Embossed Powder Coated Aluminum		
Item	H1 inch	Finish
BCSG30A14	1-3/16	A14 - White Arctic
BCSG42A14	1-21/32	A14 - White arctic
BCSG55A14	2-5/32	A14 - White arctic
BCSG75A14	2-15/16	A14 - White arctic
BCSG95A14	3-3/4	A14 - White arctic
BCSG30A24	1-3/16	A24 - Embossed Pastel Grey
BCSG42A24	1-21/32	A24 - Embossed Pastel Grey
BCSG55A24	2-5/32	A24 - Embossed Pastel Grey
BCSG75A24	2-15/16	A24 - Embossed Pastel Grey
BCSG95A24	3-3/4	A24 - Embossed Pastel Grey
BCSG30A25	1-3/16	A25 - Embossed Cement Grey
BCSG42A25	1-21/32	A25 - Embossed Cement Grey
BCSG55A25	2-5/32	A25 - Embossed Cement Grey
BCSG75A25	2-15/16	A25 - Embossed Cement Grey
BCSG95A25	3-3/4	A25 - Embossed Cement Grey
BCSG30A50	1-3/16	A50 - Embos. Micaceous Grey
BCSG42A50	1-21/32	A50 - Embossed Micaceous
BCSG55A50	2-5/32	A50 - Embossed Micaceous
BCSG75A50	2-15/16	A50 - Embossed Micaceous
BCSG95A50	3-3/4	A50 - Embossed Micaceous
BCSG30A60	1-3/16	A60 - Embossed Corten
BCSG42A60	1-21/32	A60 - Embossed Corten
BCSG55A60	2-5/32	A60 - Embossed Corten
BCSG75A60	2-15/16	A60 - Embossed Corten
BCSG95A60	3-3/4	A60 - Embossed Corten
BCSG30A63	1-3/16	A63 - Dark Brown
BCSG42A63	1-21/32	A63 - Dark Brown
BCSG55A63	2-5/32	A63 - Dark Brown
BCSG75A63	2-15/16	A63 - Dark Brown
BCSG95A63	3-3/4	A63 - Dark Brown
BCSG30A64	1-3/16	A64 - Embossed Dark Brown
BCSG42A64	1-21/32	A64 - Embossed Dark Brown
BCSG55A64	2-5/32	A64 - Embossed Dark Brown
BCSG75A64	2-15/16	A64 - Embossed Dark Brown
BCSG95A64	3-3/4	A64 - Embossed Dark Brown

APPLICATION

1. Choose the H-size profile corresponding to the thickness of the covering to be laid, taking care to ensure that the profile does not exceed the edge of the covering but is positioned 1/64" - 3/64" - 0.5 to 1 mm lower;
2. Cut to the desired length;
3. Fix the profiles to the screed with nails, taking care to separate them by at least 1 cm from the screed and taking care to leave at least 3/16" - 0.5 cm of space between adjacent profiles and mask that space with the joint;
4. Spread the adhesive in the profile application area with the help of a notched trowel;
5. Apply the desired waterproofing system (Balcotec System) where applicable;
6. Lay the flooring, taking care to leave a gap of about 5 mm between tile and profile.

N.B.: Aluminum profiles offer limited resistance to alkaline substances, so their use must be evaluated according to the expected chemical aggressions. Aluminum profiles in contact with cementitious substances can be attacked by corrosion processes, so residues of used adhesives and sealants should be removed immediately. When laying, the right amount of adhesive must be used and the right drying times observed, avoiding creating cavities in which water can stagnate, which would lead to the formation of alkaline substances (aluminum hydroxide) and trigger corrosive electrolytic phenomena.

Profilitec S.p.A.
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
Tel: +39 0444 268311
e-mail: profilitec@profilitec.com

Profilitec Corp.
e-mail: customerservice@profilitec.com

Profilitec France
e-mail: france@profilitec.com

Profilitec Ibérica, S.L.U.
e-mail: iberica@profilitec.com

CLEANING AND MAINTENANCE

STEEL:

Stainless steel is easy to clean and very hygienic because of its smooth, nonporous surface, which hinders the growth of bacteria. To keep it in good condition, simply wash it with warm soapy water, rinse it thoroughly and dry it with a soft cloth. If exposed to weathering, periodic cleaning is recommended to prevent corrosion. Brushed surfaces should be cleaned in the direction of brushing. In case of scratches, a specific polish can be used with a soft cloth.

Avoid cleaning agents containing hydrochloric acid, hydrofluoric acid or bleach, as well as abrasive products. Do not leave ordinary steel objects in contact with stainless steel to prevent contamination and rust stains. Also, do not leave damp patches or sponges on the surface to prevent water halos.

ALUMINIUM:

Aluminum requires no special maintenance.

For cleaning, use colorless alcohol diluted in water or neutral detergents, avoiding acidic ones (e.g., hydrochloric or hydrofluoric acid); use non-abrasive sponges or cloths to avoid damage. We recommend not applying cleaners directly to surfaces. After cleaning, rinse with water and dry immediately with a soft cloth. Avoid polishes. Quickly remove residual cement or grout to protect the surface.

WARNINGS

These profiles should be handled with care, using cut-resistant gloves. The indications and prescriptions herein, while corresponding to our experience, are to be considered purely indicative and must be confirmed by exhaustive practical applications. Profilitec declines any responsibility for any damage to people or things resulting from improper use of the products. The user is required to determine whether or not the product is suitable for use and assumes all responsibility arising from incorrect installation of the material.

BILL OF QUANTITIES ITEM

Supply and installation of profile in _____ (material), with _____ finish (refer to the Material Description section) in the characteristic size _____ mm, equipped with a punched flange that guarantees a perfect grip with the adhesive used. Profile with dovetail inner part for better adhesive grip.

Family type _____ from the Profilitec company as a painted aluminium perimeter profile suitable for laying terrace and balcony flooring, to be supplied and installed properly, following the methods and fields of application suggested by the manufacturer.

Profile length: 2700 mm

Profile SKU: _____

Material: _____ \$/pc

Installation: _____ \$/pc

Totale price: _____ \$/pc