

ROUNDJOLLY RJ


PRODUCT DESCRIPTION



The ROUNDJOLLY profiles connect floors of different levels, completing and protecting the tile edge from bangs and mechanical impacts. The profile, available in aluminium and stainless steel, is ideal for restructuring and on surfaces covered with thin tiles.


TECHNICAL FEATURES

Length: 2.70 meters - 8'10"



Acier Inox - RJ45

$B = H$




Aluminum - RJ45

$B = H$




Brass

$B = H$




Stainless Steel - RJ60...RJ150

$B = H$



Aluminum

$B = H + 1/32'' - 1 \text{ mm}$



Synthetic Resin

$B = H + 1/32'' - 1 \text{ mm}$



MATERIAL DESCRIPTION

Stainless Steel

Steel profiles are made by cold forming sheets of constant thickness, thus differing from the corresponding aluminum and brass versions made by hot extrusion, while maintaining their application and dimensional characteristics. Stainless steel effectively resists high mechanical stress and is particularly suitable for use in the chemical, food, and hospital sectors, where hygiene, durability, and chemical resistance are essential. Normally produced with a semi-gloss finish, a brushed finish can also be achieved by partially removing material using rotating nylon and quartz fiber brushes. This process gives the surface a matte appearance without altering its characteristics.

AISI 304 STAINLESS STEEL - EN X 5 CrNi 18 10 - DIN 1.4301:

This steel belongs to the AUSTENITIC category and is the most widespread and commonly used alloy for products requiring high technical and performance characteristics. It is highly resistant to most chemical agents but may stain or darken superficially; a standard polishing product is sufficient to restore its original appearance.

STAINLESS STEEL AISI 316 – EN X 2 CrNiMo 17 12 2 – DIN 1,4404:

Also belonging to the AUSTENITIC category, this steel is characterized by the addition of Molybdenum to the Nickel-Chromium alloy, which provides excellent resistance in extreme conditions.



IL



IS



ILM



IX

ACCESSORIES



RJC - I



RJI - I

roundjolly >> RJ in Stainless Steel AISI 304 - DIN 1.4301 Polished		
Item	Hinch	Finish
RJ45IL270	3/16	IL - Polished
RJ60IL270	1/4	IL - Polished
RJ80IL270	5/16	IL - Polished
RJ100IL270	3/8	IL - Polished
RJ125IL270	1/2	IL - Polished
RJ150IL270	9/16	IL - Polished

roundcapsule >> RJC End caps in Stainless Steel AISI 304 - DIN 1.4301 Polished		
Item	Hinch	Finish
RJC45ILSET2	3/16	IL - Polished
RJC60ILSET2	1/4	IL - Polished
RJC80ILSET2	5/16	IL - Polished
RJC100ILSET2	3/8	IL - Polished
RJC125ILSET2	1/2	IL - Polished
RJC150ILSET2	9/16	IL - Polished

roundcapsule >> RJI Capsule in Stainless Steel AISI 304 - DIN 1.4301 Polished		
Item	Hinch	Finish
RJI60ILSET2	1/4	IL - Polished
RJI80ILSET2	5/16	IL - Polished
RJI100ILSET2	3/8	IL - Polished
RJI125ILSET2	1/2	IL - Polished

roundjolly >> RJ in Stainless Steel AISI 316 - DIN 1.4404 - Polished		
Item	H inch	Finish
RJ45ILM270	3/16	ILM - Polished
RJ60ILM270	1/4	ILM - Polished
RJ80ILM270	5/16	ILM - Polished
RJ100ILM270	3/8	ILM - Polished
RJ125ILM270	1/2	ILM - Polished

roundcapsule >> RJC External end cap in Stainless Steel AISI 316 - DIN 1.4404 Polished		
Item	H inch	Finish
RJC60ILMSET2	1/4	ILM - Polished
RJC80ILMSET2	5/16	ILM - Polished
RJC100ILMSET2	3/8	ILM - Polished
RJC125ILMSET2	1/2	ILM - Polished

roundcapsule >> RJI Capsule in Stainless Steel AISI 316 - DIN 1.4404 Polished		
Item	H inch	Finish
RJI60ILMSET2	1/4	ILM - Polished
RJI80ILMSET2	5/16	ILM - Polished
RJI100ILMSET2	3/8	ILM - Polished
RJI125ILMSET2	1/2	ILM - Polished

roundjolly >> RJ in Stainless Steel AISI 304 - DIN 1.4301 Brushed		
Item	H inch	Finish
RJ45IS270	3/16	IS - Brushed
RJ60IS270	1/4	IS - Brushed
RJ80IS270	5/16	IS - Brushed
RJ100IS270	3/8	IS - Brushed
RJ125IS270	1/2	IS - Brushed
RJ150IS270	9/16	IS - Brushed

roundcapsule >> RJC End caps in Stainless Steel AISI 304 - DIN 1.4301 Brushed		
Item	H inch	Finish
RJC45ISSET2	3/16	IS - Brushed
RJC60ISSET2	1/4	IS - Brushed
RJC80ISSET2	5/16	IS - Brushed
RJC100ISSET2	3/8	IS - Brushed
RJC125ISSET2	1/2	IS - Brushed
RJC150ISSET2	9/16	IS - Brushed

roundcapsule >> RJI Capsule in Stainless Steel AISI 304 - DIN 1.4301 Brushed		
Item	H inch	Finish
RJI60ISSET2	1/4	IS - Brushed
RJI80ISSET2	5/16	IS - Brushed
RJI100ISSET2	3/8	IS - Brushed
RJI125ISSET2	1/2	IS - Brushed

roundjolly >> RJ in Stainless Steel AISI 304 - DIN 1.4301 Sanded		
Item	H inch	Finish
RJ80IX270	5/16	IX - Sanded
RJ100IX270	3/8	IX - Sanded
RJ125IX270	1/2	IX - Sanded

roundcapsule >> RJC External End caps in Stainless Steel AISI 304 - DIN 1.4301 Sanded		
Item	H inch	Finish
RJC80IXSET2	5/16	IX - Sanded
RJC100IXSET2	3/8	IX - Sanded
RJC125IXSET2	1/2	IX - Sanded

roundcapsule >> RJI Capsule in Stainless Steel AISI 304 - DIN 1.4301 Sanded		
Item	H inch	Finish
RJI80IXSET2	5/16	IX - Sanded
RJI100IXSET2	3/8	IX - Sanded
RJI125IXSET2	1/2	IX - Sanded

MATERIAL DESCRIPTION

Aluminum

The primary aluminum alloy EN AW-6060 in T6 temper is suitable for complex extrusions, offering high strength and an excellent natural surface finish that lends itself well to subsequent finishing processes.

ANODIZED ALUMINUM:

The anodic oxidation process provides protection against corrosion caused by atmospheric agents, without involving galvanic treatments.



































In accordance with the EN 12373 standard, profiles undergo preliminary treatments that create a uniformly matte surface. They are then colored through an electrochemical oxidation process in standard finishes: Silver, Gold, Bronze, Copper, and Titanium, with a coating thickness of up to 20 microns.

BRIGHT POLISHED ALUMINUM:

The brightening process consists of a mechanical-chemical polishing treatment and the subsequent anodic bath in Gold, Chrome, Copper and Titanium colors. The resulting profiles retain the same corrosion resistance as standard anodized profiles.

POWDER COATED ALUMINUM:

Powder coating begins with a chromium phosphate pre-treatment, followed by electrostatic application of polyester powders that offer high resistance to U.V. rays and atmospheric agents. The entire surface of the profile is coated with an average thickness of approximately 60 microns. A hot cross-linking polymerization process is then carried out to ensure maximum chemical and mechanical resistance.

							
AS	AT	AR	AO	AMSB	ASB	ATB	ARB
							
AOB	ASSB	ATSB	ARSB	ADSB	A11	A12	A21
							
A22	A23	A31	A32	A41	A42	A51	A54
							
AM11	A13	A24	A25	A33	A34	A50	A60
							
A64	A65						

ACCESSORIES



RJC - A



RJI - A

Profilitec S.p.A.
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
Tel: +39 0444 268311
e-mail: profilitec@profilitec.com

Profilitec Corp.
e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
e-mail: iberica@profilitec.com

Profilitec France
e-mail: france@profilitec.com

roundjolly >> RJ in Anodized Aluminum		
Item	H inch	Finish
RJ45AS270	3/16	AS - Silver
RJ60AS270	1/4	AS - Silver
RJ80AS270	5/16	AS - Silver
RJ100AS270	3/8	AS - Silver
RJ110AS270	7/16	AS - Silver
RJ125AS270	1/2	AS - Silver
RJ60AT270	1/4	AT - Titanium
RJ80AT270	5/16	AT - Titanium
RJ100AT270	3/8	AT - Titanium
RJ125AT270	1/2	AT - Titanium
RJ60AR270	1/4	AR - Copper
RJ80AR270	5/16	AR - Copper
RJ100AR270	3/8	AR - Copper
RJ125AR270	1/2	AR - Copper
RJ60AO270	1/4	AO - Gold
RJ80AO270	5/16	AO - Gold
RJ100AO270	3/8	AO - Gold
RJ125AO270	1/2	AO - Gold



roundcapsule >> RJC External cap in Anodized Aluminum		
Item	H inch	Finish
RJC45ASSET2	11/64	AS - Silver
RJC60ASSET2	1/4	AS - Silver
RJC80ASSET2	5/16	AS - Silver
RJC100ASSET2	3/8	AS - Silver
RJC110ASSET2	7/16	AS - Silver
RJC125ASSET2	1/2	AS - Silver
RJC60ATSET2	1/4	AT - Titanium
RJC80ATSET2	5/16	AT - Titanium
RJC100ATSET2	3/8	AT - Titanium
RJC125ATSET2	1/2	AT - Titanium
RJC60AOSSET2	1/4	AO - Gold
RJC80AOSSET2	5/16	AO - Gold
RJC100AOSSET2	3/8	AO - Gold
RJC125AOSSET2	1/2	AO - Gold
RJC60ARSET2	1/4	AR - Copper
RJC80ARSET2	5/16	AR - Copper
RJC100ARSET2	3/8	AR - Copper
RJC125ARSET2	1/2	AR - Copper

roundcapsule >> RJI Capsule in Anodized Aluminum		
Item	H inch	Finish
RJI60ASSET2	1/4	AS - Silver
RJI80ASSET2	5/16	AS - Silver
RJI100ASSET2	3/8	AS - Silver
RJI110ASSET2	7/16	AS - Silver
RJI125ASSET2	1/2	AS - Silver
RJI60ATSET2	1/4	AT - Titanium
RJI80ATSET2	5/16	AT - Titanium
RJI100ATSET2	3/8	AT - Titanium
RJI125ATSET2	1/2	AT - Titanium
RJI60AOSSET2	1/4	AO - Gold
RJI80AOSSET2	5/16	AO - Gold
RJI100AOSSET2	3/8	AO - Gold
RJI125AOSSET2	1/2	AO - Gold
RJI60ARSET2	1/4	AR - Copper
RJI80ARSET2	5/16	AR - Copper
RJI100ARSET2	3/8	AR - Copper
RJI125ARSET2	1/2	AR - Copper

roundjolly >> RJ in Brushed Anodized Aluminum		
Item	H inch	Finish
RJ80AMSB270	5/16	AMSB - Brus. an. ant. bronze
RJ100AMSB270	3/8	AMSB - Brus. an. ant. bronze
RJ125AMSB270	1/2	AMSB - Brus. an. ant. bronze

roundcapsule >> RJC Capsule in Brushed Anodized Aluminum		
Item	H inch	Finish
RJC80AMSBSET2	5/16	AMSB - Brus. an. ant. bronze
RJC100AMSBSET2	3/8	AMSB - Brus. an. ant. bronze
RJC125AMSBSET2	1/2	AMSB - Brus. an. ant. bronze

roundcapsule >> RJI Capsule in Brushed Anodized Aluminum		
Item	H inch	Finish
RJI80AMSBSET2	5/16	AMSB - Brus. an. ant. bronze
RJI100AMSBSET2	3/8	AMSB - Brus. an. ant. bronze
RJI125AMSBSET2	1/2	AMSB - Brus. an. ant. bronze

roundjolly >> RJ in Bright Polished Anodized Aluminum - Brushed		
Item	H inch	Finish
RJ80ASSB270	5/16	ASSB - Brus. brig. pol. silver
RJ100ASSB270	3/8	ASSB - Brus. brig. pol. silver
RJ125ASSB270	1/2	ASSB - Brus. brig. pol. silver
RJ80ATSB270	5/16	ATSB - Brig. pol. brus. titanium
RJ100ATSB270	3/8	ATSB - Brig. pol. brus. titanium
RJ125ATSB270	1/2	ATSB - Brig. pol. brus. titanium
RJ100ARSB270	3/8	ARSB - Bright brus. copper
RJ125ARSB270	1/2	ARSB - Bright brus. copper
RJ100ADSB270	3/8	ADSB - Bright brus. black
RJ125ADSB270	1/2	ADSB - Bright brus. black

roundcapsule >> RJC Capsule in Brushed Polished Anodized Aluminum		
Item	H inch	Finish
RJC80ASSBSET2	5/16	ASSB - Brus. brig. pol. silver
RJC100ASSBSET2	3/8	ASSB - Brus. brig. pol. silver
RJC125ASSBSET2	1/2	ASSB - Brus. brig. pol. silver
RJC80ATSBSET2	5/16	ATSB - Brig. pol. brus. titanium
RJC100ATSBSET2	3/8	ATSB - Brig. pol. brus. titanium
RJC125ATSBSET2	1/2	ATSB - Brig. pol. brus. titanium
RJC100ARSBSET2	3/8	ARSB - Bright brus. copper
RJC125ARSBSET2	1/2	ARSB - Bright brus. copper

roundcapsule >> RJI Capsule in Brushed Polished Anodized Aluminum		
Item	H inch	Finish
RJI80ASSBSET2	5/16	ASSB - Brus. brig. pol. silver
RJI100ASSBSET2	3/8	ASSB - Brus. brig. pol. silver
RJI125ASSBSET2	1/2	ASSB - Brus. brig. pol. silver
RJI80ATSBSET2	5/16	ATSB - Brig. pol. brus. titanium
RJI100ATSBSET2	3/8	ATSB - Brig. pol. brus. titanium
RJI125ATSBSET2	1/2	ATSB - Brig. pol. brus. titanium
RJI100ARSBSET2	3/8	ARSB - Bright brus. copper
RJI125ARSBSET2	1/2	ARSB - Bright brus. copper

roundjolly >> RJ in Bright Polished Anodized Aluminum		
Item	H inch	Finish
RJ45ASB270	11/64	ASB - Chrome
RJ60ASB270	1/4	ASB - Chrome
RJ80ASB270	5/16	ASB - Chrome
RJ100ASB270	3/8	ASB - Chrome
RJ110ASB270	7/16	ASB - Chrome
RJ125ASB270	1/2	ASB - Chrome
RJ60ATB270	1/4	ATB - Polished titanium
RJ80ATB270	5/16	ATB - Polished titanium
RJ100ATB270	3/8	ATB - Polished titanium
RJ125ATB270	1/2	ATB - Polished titanium
RJ60ARB270	1/4	ARB - Bright polished copper
RJ80ARB270	5/16	ARB - Bright polished copper
RJ100ARB270	3/8	ARB - Bright polished copper
RJ125ARB270	1/2	ARB - Bright polished copper
RJ60AOB270	1/4	AOB - Polished gold
RJ80AOB270	5/16	AOB - Polished gold
RJ100AOB270	3/8	AOB - Polished gold
RJ125AOB270	1/2	AOB - Polished gold

roundcapsule >> RJC External cap in Bright Polished Anodized Aluminum		
Item	H inch	Finish
RJC45ASBSET2	11/64	ASB - Chrome
RJC60ASBSET2	1/4	ASB - Chrome
RJC80ASBSET2	5/16	ASB - Chrome
RJC100ASBSET2	3/8	ASB - Chrome
RJC110ASBSET2	7/16	ASB - Chrome
RJC125ASBSET2	1/2	ASB - Chrome
RJC60ATBSET2	1/4	ATB - Polished titanium
RJC80ATBSET2	5/16	ATB - Polished titanium
RJC100ATBSET2	3/8	ATB - Polished titanium
RJC125ATBSET2	1/2	ATB - Polished titanium
RJC60AOBSET2	1/4	AOB - Polished gold
RJC80AOBSET2	5/16	AOB - Polished gold
RJC100AOBSET2	3/8	AOB - Polished gold
RJC125AOBSET2	1/2	AOB - Polished gold
RJC60ARBSET2	1/4	ARB - Bright polished copper
RJC80ARBSET2	5/16	ARB - Bright polished copper
RJC100ARBSET2	3/8	ARB - Bright polished copper
RJC125ARBSET2	1/2	ARB - Bright polished copper

roundcapsule >> RJI Capsule in Bright Polished Anodized Aluminum		
Item	H inch	Finish
RJI60ASBSET2	1/4	ASB - Chrome
RJI80ASBSET2	5/16	ASB - Chrome
RJI100ASBSET2	3/8	ASB - Chrome
RJI110ASBSET2	7/16	ASB - Chrome
RJI125ASBSET2	1/2	ASB - Chrome
RJI60ATBSET2	1/4	ATB - Polished titanium
RJI80ATBSET2	5/16	ATB - Polished titanium
RJI100ATBSET2	3/8	ATB - Polished titanium
RJI125ATBSET2	1/2	ATB - Polished titanium
RJI60AOBSET2	1/4	AOB - Polished gold
RJI80AOBSET2	5/16	AOB - Polished gold

Profilitec S.p.A.
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
Tel: +39 0444 268311
e-mail: profilitec@profilitec.com

Profilitec Corp.
e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
e-mail: iberica@profilitec.com

Profilitec France
e-mail: france@profilitec.com

RJI100AOBSET2	3/8	AOB - Polished gold
RJI125AOBSET2	1/2	AOB - Polished gold
RJI60ARBSET2	1/4	ARB - Bright polished copper
RJI80ARBSET2	5/16	ARB - Bright polished copper
RJI100ARBSET2	3/8	ARB - Bright polished copper
RJI125ARBSET2	1/2	ARB - Bright polished copper

roundjolly >> RJ in Powder Coated Aluminum		
Item	H inch	Finish
RJ45A11270	11/64	A11 - Pure White
RJ60A11270	1/4	A11 - Pure White
RJ80A11270	5/16	A11 - Pure White
RJ100A11270	3/8	A11 - Pure White
RJ125A11270	1/2	A11 - Pure White
RJ45A12270	11/64	A12 - Ivory White
RJ60A12270	1/4	A12 - Ivory White
RJ80A12270	5/16	A12 - Ivory White
RJ100A12270	3/8	A12 - Ivory White
RJ125A12270	1/2	A12 - Ivory White
RJ45A21270	11/64	A21 - Light Grey
RJ60A21270	1/4	A21 - Light Grey
RJ80A21270	5/16	A21 - Light Grey
RJ100A21270	3/8	A21 - Light Grey
RJ45A22270	11/64	A22 - Pastel Grey
RJ60A22270	1/4	A22 - Pastel Grey
RJ80A22270	5/16	A22 - Pastel Grey
RJ100A22270	3/8	A22 - Pastel Grey
RJ125A22270	1/2	A22 - Pastel Grey
RJ45A23270	11/64	A23 - Cement Grey
RJ60A23270	1/4	A23 - Cement Grey
RJ80A23270	5/16	A23 - Cement Grey
RJ100A23270	3/8	A23 - Cement Grey
RJ45A31270	11/64	A31 - Beige Bahama
RJ60A31270	1/4	A31 - Beige Bahama
RJ80A31270	5/16	A31 - Beige Bahama
RJ100A31270	3/8	A31 - Beige Bahama
RJ125A31270	1/2	A31 - Beige Bahama
RJ45A32270	11/64	A32 - Dark Beige
RJ60A32270	1/4	A32 - Dark Beige
RJ80A32270	5/16	A32 - Dark Beige
RJ100A32270	3/8	A32 - Dark Beige
RJ45A41270	11/64	A41 - Cream
RJ60A41270	1/4	A41 - Cream
RJ80A41270	5/16	A41 - Cream
RJ100A41270	3/8	A41 - Cream
RJ45A42270	11/64	A42 - Ivory
RJ60A42270	1/4	A42 - Ivory
RJ80A42270	5/16	A42 - Ivory
RJ100A42270	3/8	A42 - Ivory
RJ45A51270	11/64	A51 - Black
RJ60A51270	1/4	A51 - Black
RJ80A51270	5/16	A51 - Black
RJ100A51270	3/8	A51 - Black
RJ60A54270	1/4	A54 - Matt Black
RJ80A54270	5/16	A54 - Matt Black
RJ100A54270	3/8	A54 - Matt Black
RJ125A54270	1/2	A54 - Matt Black
RJ60AM11270	1/4	AM11 - Matt White
RJ80AM11270	5/16	AM11 - Matt White
RJ100AM11270	3/8	AM11 - Matt White
RJ125AM11270	1/2	AM11 - Matt White

roundcapsule >> RJC External cap in Powder Coated Aluminum		
Item	H inch	Finish
RJC45A11SET2	11/64	A11 - Pure White
RJC60A11SET2	1/4	A11 - Pure White
RJC80A11SET2	5/16	A11 - Pure White
RJC100A11SET2	3/8	A11 - Pure White
RJC125A11SET2	1/2	A11 - Pure White
RJC45A12SET2	11/64	A12 - Ivory White
RJC60A12SET2	1/4	A12 - Ivory White
RJC80A12SET2	5/16	A12 - Ivory White
RJC100A12SET2	3/8	A12 - Ivory White
RJC125A12SET2	1/2	A12 - Ivory White
RJC45A21SET2	11/64	A21 - Light Grey
RJC60A21SET2	1/4	A21 - Light Grey
RJC80A21SET2	5/16	A21 - Light Grey
RJC100A21SET2	3/8	A21 - Light Grey
RJC45A22SET2	11/64	A22 - Pastel Grey
RJC60A22SET2	1/4	A22 - Pastel Grey
RJC80A22SET2	5/16	A22 - Pastel Grey
RJC100A22SET2	3/8	A22 - Pastel Grey
RJC125A22SET2	1/2	A22 - Pastel Grey
RJC45A23SET2	11/64	A23 - Cement Grey
RJC60A23SET2	1/4	A23 - Cement Grey
RJC80A23SET2	5/16	A23 - Cement Grey
RJC100A23SET2	3/8	A23 - Cement Grey
RJC45A31SET2	11/64	A31 - Beige Bahama
RJC60A31SET2	1/4	A31 - Beige Bahama
RJC80A31SET2	5/16	A31 - Beige Bahama
RJC100A31SET2	3/8	A31 - Beige Bahama
RJC125A31SET2	1/2	A31 - Beige Bahama
RJC45A32SET2	11/64	A32 - Dark Beige
RJC60A32SET2	1/4	A32 - Dark Beige
RJC80A32SET2	5/16	A32 - Dark Beige
RJC100A32SET2	3/8	A32 - Dark Beige
RJC45A41SET2	11/64	A41 - Cream
RJC60A41SET2	1/4	A41 - Cream
RJC80A41SET2	5/16	A41 - Cream
RJC100A41SET2	3/8	A41 - Cream
RJC45A42SET2	11/64	A42 - Ivory
RJC60A42SET2	1/4	A42 - Ivory
RJC80A42SET2	5/16	A42 - Ivory
RJC100A42SET2	3/8	A42 - Ivory
RJC45A51SET2	11/64	A51 - Black
RJC60A51SET2	1/4	A51 - Black
RJC80A51SET2	5/16	A51 - Black
RJC100A51SET2	3/8	A51 - Black
RJC60A54SET2	1/4	A54 - Matt Black
RJC80A54SET2	5/16	A54 - Matt Black
RJC100A54SET2	3/8	A54 - Matt Black
RJC125A54SET2	1/2	A54 - Matt Black
RJC60AM11SET2	1/4	AM11 - Matt White
RJC80AM11SET2	5/16	AM11 - Matt White
RJC100AM11SET2	3/8	AM11 - Matt White
RJC125AM11SET2	1/2	AM11 - Matt White

Profilitec S.p.A.
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
Tel: +39 0444 268311
e-mail: profilitec@profilitec.com

Profilitec Corp.
e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
e-mail: iberica@profilitec.com

Profilitec France
e-mail: france@profilitec.com

roundcapsule >> RJI Capsule in Powder Coated Aluminum		
Item	H inch	Finish
RJI60A11SET2	1/4	A11 - Pure White
RJI80A11SET2	5/16	A11 - Pure White
RJI100A11SET2	3/8	A11 - Pure White
RJI125A11SET2	1/2	A11 - Pure White
RJI60A12SET2	1/4	A12 - Ivory White
RJI80A12SET2	5/16	A12 - Ivory White
RJI100A12SET2	3/8	A12 - Ivory White
RJI125A12SET2	1/2	A12 - Ivory White
RJI60A21SET2	1/4	A21 - Light Grey
RJI80A21SET2	5/16	A21 - Light Grey
RJI100A21SET2	3/8	A21 - Light Grey
RJI60A22SET2	1/4	A22 - Pastel Grey
RJI80A22SET2	5/16	A22 - Pastel Grey
RJI100A22SET2	3/8	A22 - Pastel Grey
RJI125A22SET2	1/2	A22 - Pastel Grey
RJI60A23SET2	1/4	A23 - Cement Grey
RJI80A23SET2	5/16	A23 - Cement Grey
RJI100A23SET2	3/8	A23 - Cement Grey
RJI60A31SET2	1/4	A31 - Beige Bahama
RJI80A31SET2	5/16	A31 - Beige Bahama
RJI100A31SET2	3/8	A31 - Beige Bahama
RJI125A31SET2	1/2	A31 - Beige Bahama
RJI60A32SET2	1/4	A32 - Dark Beige
RJI80A32SET2	5/16	A32 - Dark Beige
RJI100A32SET2	3/8	A32 - Dark Beige
RJI60A41SET2	1/4	A41 - Cream
RJI80A41SET2	5/16	A41 - Cream
RJI100A41SET2	3/8	A41 - Cream
RJI60A42SET2	1/4	A42 - Ivory
RJI80A42SET2	5/16	A42 - Ivory
RJI100A42SET2	3/8	A42 - Ivory
RJI60A51SET2	1/4	A51 - Black
RJI80A51SET2	5/16	A51 - Black
RJI100A51SET2	3/8	A51 - Black
RJI60A54SET2	1/4	A54 - Matt Black
RJI80A54SET2	5/16	A54 - Matt Black
RJI100A54SET2	3/8	A54 - Matt Black
RJI125A54SET2	1/2	A54 - Matt Black
RJI60AM11SET2	1/4	AM11 - Matt White
RJI80AM11SET2	5/16	AM11 - Matt White
RJI100AM11SET2	3/8	AM11 - Matt White
RJI125AM11SET2	1/2	AM11 - Matt White



Profilitec S.p.A.
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
Tel: +39 0444 268311
e-mail: profilitec@profilitec.com

Profilitec Corp.
e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
e-mail: iberica@profilitec.com

Profilitec France
e-mail: france@profilitec.com

roundjolly >> RJ in Powder Coated Aluminum Modern Line		
Item	H inch	Finish
RJ60A13270	1/4	A13 - Antique White
RJ80A13270	5/16	A13 - Antique White
RJ100A13270	3/8	A13 - Antique White
RJ110A13270	7/16	A13 - Antique White
RJ125A13270	1/2	A13 - Antique White
RJ80A24270	5/16	A24 - Embossed Pastel Grey
RJ100A24270	3/8	A24 - Embossed Pastel Grey
RJ110A24270	7/16	A24 - Embossed Pastel Grey
RJ125A24270	1/2	A24 - Embossed Pastel Grey
RJ80A25270	5/16	A25 - Embossed Cement Grey
RJ100A25270	3/8	A25 - Embossed Cement Grey
RJ110A25270	7/16	A25 - Embossed Cement Grey
RJ125A25270	1/2	A25 - Embossed Cement Grey
RJ80A33270	5/16	A33 - Embossed Dove-Grey
RJ100A33270	3/8	A33 - Embossed Dove-Grey
RJ110A33270	7/16	A33 - Embossed Dove-Grey
RJ125A33270	1/2	A33 - Embossed Dove-Grey
RJ80A34270	5/16	A34 - Embossed Kaki
RJ100A34270	3/8	A34 - Embossed Kaki
RJ110A34270	7/16	A34 - Embossed Kaki
RJ125A34270	1/2	A34 - Embossed Kaki
RJ80A50270	5/16	A50 - Embossed Micaceous
RJ100A50270	3/8	A50 - Embossed Micaceous
RJ110A50270	7/16	A50 - Embossed Micaceous
RJ125A50270	1/2	A50 - Embossed Micaceous
RJ80A60270	5/16	A60 - Embossed Corten
RJ100A60270	3/8	A60 - Embossed Corten
RJ110A60270	7/16	A60 - Embossed Corten
RJ125A60270	1/2	A60 - Embossed Corten
RJ80A64270	5/16	A64 - Embossed Dark Brown
RJ100A64270	3/8	A64 - Embossed Dark Brown
RJ110A64270	7/16	A64 - Embossed Dark Brown
RJ125A64270	1/2	A64 - Embossed Dark Brown
RJ80A65270	5/16	A65 - Embossed Matt Black
RJ100A65270	3/8	A65 - Embossed Matt Black
RJ110A65270	7/16	A65 - Embossed Matt Black
RJ125A65270	1/2	A65 - Embossed Matt Black

roundcapsule >> RJC External cap in Powder Coated Aluminum Modern Line		
Item	H inch	Finish
RJC60A13SET2	1/4	A13 - Antique White
RJC80A13SET2	5/16	A13 - Antique White
RJC100A13SET2	3/8	A13 - Antique White
RJC110A13SET2	7/16	A13 - Antique White
RJC125A13SET2	1/2	A13 - Antique White
RJC80A24SET2	5/16	A24 - Embossed Pastel Grey
RJC100A24SET2	3/8	A24 - Embossed Pastel Grey
RJC110A24SET2	7/16	A24 - Embossed Pastel Grey
RJC125A24SET2	1/2	A24 - Embossed Pastel Grey
RJC80A25SET2	5/16	A25 - Embossed Cement Grey
RJC100A25SET2	3/8	A25 - Embossed Cement Grey
RJC110A25SET2	7/16	A25 - Embossed Cement Grey
RJC125A25SET2	1/2	A25 - Embossed Cement Grey
RJC80A33SET2	5/16	A33 - Embossed Dove-Grey
RJC100A33SET2	3/8	A33 - Embossed Dove-Grey
RJC110A33SET2	7/16	A33 - Embossed Dove-Grey
RJC125A33SET2	1/2	A33 - Embossed Dove-Grey
RJC80A34SET2	5/16	A34 - Embossed Kaki
RJC100A34SET2	3/8	A34 - Embossed Kaki
RJC110A34SET2	7/16	A34 - Embossed Kaki
RJC125A34SET2	1/2	A34 - Embossed Kaki
RJC80A50SET2	5/16	A50 - Embossed Micaceous
RJC100A50SET2	3/8	A50 - Embossed Micaceous
RJC110A50SET2	7/16	A50 - Embossed Micaceous
RJC125A50SET2	1/2	A50 - Embossed Micaceous
RJC80A60SET2	5/16	A60 - Embossed Corten
RJC100A60SET2	3/8	A60 - Embossed Corten
RJC110A60SET2	7/16	A60 - Embossed Corten
RJC125A60SET2	1/2	A60 - Embossed Corten
RJC80A64SET2	5/16	A64 - Embossed Dark Brown
RJC100A64SET2	3/8	A64 - Embossed Dark Brown
RJC110A64SET2	7/16	A64 - Embossed Dark Brown
RJC125A64SET2	1/2	A64 - Embossed Dark Brown
RJC80A65SET2	5/16	A65 - Embossed Matt Black
RJC100A65SET2	3/8	A65 - Embossed Matt Black
RJC110A65SET2	7/16	A65 - Embossed Matt Black
RJC125A65SET2	1/2	A65 - Embossed Matt Black

roundcapsule >> RJI Capsule in Powder Coated Aluminum Modern Line		
Item	H inch	Finish
RJI60A13SET2	1/4	A13 - Antique White
RJI80A13SET2	5/16	A13 - Antique White
RJI100A13SET2	3/8	A13 - Antique White
RJI110A13SET2	7/16	A13 - Antique White
RJI125A13SET2	1/2	A13 - Antique White
RJI80A24SET2	5/16	A24 - Embossed Pastel Grey
RJI100A24SET2	3/8	A24 - Embossed Pastel Grey
RJI110A24SET2	7/16	A24 - Embossed Pastel Grey
RJI125A24SET2	1/2	A24 - Embossed Pastel Grey
RJI80A25SET2	5/16	A25 - Embossed Cement Grey
RJI100A25SET2	3/8	A25 - Embossed Cement Grey
RJI110A25SET2	7/16	A25 - Embossed Cement Grey
RJI125A25SET2	1/2	A25 - Embossed Cement Grey
RJI80A33SET2	5/16	A33 - Embossed Dove-Grey
RJI100A33SET2	3/8	A33 - Embossed Dove-Grey
RJI110A33SET2	7/16	A33 - Embossed Dove-Grey

Profilitec S.p.A.
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
Tel: +39 0444 268311
e-mail: profilitec@profilitec.com

Profilitec Corp.
e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
e-mail: iberica@profilitec.com

Profilitec France
e-mail: france@profilitec.com



RJI125A33SET2	1/2	A33 - Embossed Dove-Grey
RJI80A34SET2	5/16	A34 - Embossed Kaki
RJI100A34SET2	3/8	A34 - Embossed Kaki
RJI110A34SET2	7/16	A34 - Embossed Kaki
RJI125A34SET2	1/2	A34 - Embossed Kaki
RJI80A50SET2	5/16	A50 - Embossed Micaceous
RJI100A50SET2	3/8	A50 - Embossed Micaceous
RJI110A50SET2	7/16	A50 - Embossed Micaceous
RJI125A50SET2	1/2	A50 - Embossed Micaceous
RJI80A60SET2	5/16	A60 - Embossed Corten
RJI100A60SET2	3/8	A60 - Embossed Corten
RJI110A60SET2	7/16	A60 - Embossed Corten
RJI125A60SET2	1/2	A60 - Embossed Corten
RJI80A64SET2	5/16	A64 - Embossed Dark Brown
RJI100A64SET2	3/8	A64 - Embossed Dark Brown
RJI110A64SET2	7/16	A64 - Embossed Dark Brown
RJI125A64SET2	1/2	A64 - Embossed Dark Brown
RJI80A65SET2	5/16	A65 - Embossed Matt Black
RJI100A65SET2	3/8	A65 - Embossed Matt Black
RJI110A65SET2	7/16	A65 - Embossed Matt Black
RJI125A65SET2	1/2	A65 - Embossed Matt Black

MATERIAL DESCRIPTION

Brass

Profiles made from CW618N (EN 12167) brass alloy are characterized by high resistance to mechanical stress, making them particularly suitable for heavy-traffic applications, such as industrial settings and at expansion joints.

Brass is resistant to most chemical agents commonly encountered during the installation of ceramic coverings. However, in the presence of humidity or aggressive substances, the surface may develop superficial oxidation, which can be removed using a standard polishing product.

These profiles can be manufactured through either hot extrusion or cold forming from sheets of constant thickness.

CHROMED BRASS:

This finish is achieved through a galvanic process that imparts a bright, stainless steel-like appearance. The treatment offers excellent aesthetic results and excellent resistance to chemical agents, though it has limited resistance to surface impacts and prolonged abrasion.



OC

roundjolly >> RJ in Chromed Brass		
Item	H inch	Finish
RJ600C270	1/4	OC - Chrome
RJ800C270	5/16	OC - Chrome
RJ1000C270	3/8	OC - Chrome
RJ1250C270	1/2	OC - Chrome

roundcapsule >> RJC End cap in Chromed Brass		
Item	H inch	Finish
RJC600CSET2	1/4	OC - Chrome
RJC800CSET2	5/16	OC - Chrome
RJC1000CSET2	3/8	OC - Chrome
RJC1250CSET2	1/2	OC - Chrome

Profilitec S.p.A.
 Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
 Tel: +39 0444 268311
 e-mail: profilitec@profilitec.com

Profilitec Corp.
 e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
 e-mail: iberica@profilitec.com

Profilitec France
 e-mail: france@profilitec.com

MATERIAL DESCRIPTION

Synthetic resin

RESINTOP Rigid thermoplastic synthetic resin:

This material is specifically formulated to optimize the performance of rigid profiles intended for permanent indoor and outdoor applications, where both aesthetic and durability requirements must be met. Produced from primary resin with a Polyvinyl Chloride (PVC)-based composition, it is suitable for a wide range of uses at temperatures up to +60°C. The selected raw material ensures excellent resistance to UV rays, limited mechanical impacts, and strong protection against the stagnation of fungi and bacteria.



ACCESSORIES



RJC -P

RJI -P

roundjolly >> RJ in Synthetic Resin Full Body Colored Resintop		
Item	H inch	Finish
RJ60P11270	1/4	P11 - Pure White
RJ80P11270	5/16	P11 - Pure White
RJ100P11270	3/8	P11 - Pure White
RJ60P12270	1/4	P12 - Ivory White
RJ80P12270	5/16	P12 - Ivory White
RJ100P12270	3/8	P12 - Ivory White
RJ60P21270	1/4	P21 - Light Grey
RJ80P21270	5/16	P21 - Light Grey
RJ100P21270	3/8	P21 - Light Grey
RJ60P22270	1/4	P22 - Pastel Grey
RJ80P22270	5/16	P22 - Pastel Grey
RJ100P22270	3/8	P22 - Pastel Grey
RJ60P23270	1/4	P23 - Cement Grey
RJ80P23270	5/16	P23 - Cement Grey
RJ100P23270	3/8	P23 - Cement Grey
RJ60P31270	1/4	P31 - Beige Bahama
RJ80P31270	5/16	P31 - Beige Bahama
RJ100P31270	3/8	P31 - Beige Bahama
RJ60P32270	1/4	P32 - Dark Beige
RJ80P32270	5/16	P32 - Dark Beige
RJ100P32270	3/8	P32 - Dark Beige
RJ60P41270	1/4	P41 - Cream
RJ80P41270	5/16	P41 - Cream
RJ100P41270	3/8	P41 - Cream
RJ60P42270	1/4	P42 - Ivory
RJ80P42270	5/16	P42 - Ivory
RJ100P42270	3/8	P42 - Ivory
RJ60P43270	1/4	P43 - Peach

roundcapsule >> RJC Capsule in Synthetic Resin Colored Resintop		
Item	H inch	Finish
RJC60P11SET2	1/4	P11 - Pure White
RJC80P11SET2	5/16	P11 - Pure White
RJC100P11SET2	3/8	P11 - Pure White
RJC125P11SET2	1/2	P11 - Pure White
RJC60P12SET2	1/4	P12 - Ivory White
RJC80P12SET2	5/16	P12 - Ivory White
RJC100P12SET2	3/8	P12 - Ivory White
RJC60P21SET2	1/4	P21 - Light Grey
RJC80P21SET2	5/16	P21 - Light Grey
RJC100P21SET2	3/8	P21 - Light Grey
RJC60P22SET2	1/4	P22 - Pastel Grey
RJC80P22SET2	5/16	P22 - Pastel Grey
RJC100P22SET2	3/8	P22 - Pastel Grey
RJC125P22SET2	1/2	P22 - Pastel Grey
RJC60P23SET2	1/4	P23 - Cement Grey
RJC80P23SET2	5/16	P23 - Cement Grey
RJC100P23SET2	3/8	P23 - Cement Grey
RJC60P31SET2	1/4	P31 - Beige Bahama
RJC80P31SET2	5/16	P31 - Beige Bahama
RJC100P31SET2	3/8	P31 - Beige Bahama
RJC125P31SET2	1/2	P31 - Beige Bahama
RJC60P32SET2	1/4	P32 - Dark Beige
RJC80P32SET2	5/16	P32 - Dark Beige
RJC100P32SET2	3/8	P32 - Dark Beige
RJC60P41SET2	1/4	P41 - Cream
RJC80P41SET2	5/16	P41 - Cream
RJC100P41SET2	3/8	P41 - Cream

Profilitec S.p.A.

Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
Tel: +39 0444 268311
e-mail: profilitec@profilitec.com

Profilitec Corp.

e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.

e-mail: iberica@profilitec.com

Profilitec France

e-mail: france@profilitec.com

RJ80P43270	5/16	P43 - Peach
RJ100P43270	3/8	P43 - Peach
RJ60P44270	1/4	P44 - Soft Pink
RJ80P44270	5/16	P44 - Soft Pink
RJ100P44270	3/8	P44 - Soft Pink
RJ60P45270	1/4	P45 - Soft Blue
RJ80P45270	5/16	P45 - Soft Blue
RJ100P45270	3/8	P45 - Soft Blue
RJ60P46270	1/4	P46 - Soft Green
RJ80P46270	5/16	P46 - Soft Green
RJ100P46270	3/8	P46 - Soft Green
RJ60P51270	1/4	P51 - Black
RJ80P51270	5/16	P51 - Black
RJ100P51270	3/8	P51 - Black

roundcapsule >> RJI Capsule in Synthetic Resin Colored Resintop		
Item	H inch	Finish
RJI60P11SET2	1/4	P11 - Pure White
RJI80P11SET2	5/16	P11 - Pure White
RJI100P11SET2	3/8	P11 - Pure White
RJI60P12SET2	1/4	P12 - Ivory White
RJI80P12SET2	5/16	P12 - Ivory White
RJI100P12SET2	3/8	P12 - Ivory White
RJI60P21SET2	1/4	P21 - Light Grey
RJI80P21SET2	5/16	P21 - Light Grey
RJI100P21SET2	3/8	P21 - Light Grey
RJI60P22SET2	1/4	P22 - Pastel Grey
RJI80P22SET2	5/16	P22 - Pastel Grey
RJI100P22SET2	3/8	P22 - Pastel Grey
RJI60P23SET2	1/4	P23 - Cement Grey
RJI80P23SET2	5/16	P23 - Cement Grey
RJI100P23SET2	3/8	P23 - Cement Grey
RJI60P31SET2	1/4	P31 - Beige Bahama
RJI80P31SET2	5/16	P31 - Beige Bahama
RJI100P31SET2	3/8	P31 - Beige Bahama
RJI60P32SET2	1/4	P32 - Dark Beige
RJI80P32SET2	5/16	P32 - Dark Beige
RJI100P32SET2	3/8	P32 - Dark Beige
RJI60P41SET2	1/4	P41 - Cream
RJI80P41SET2	5/16	P41 - Cream
RJI100P41SET2	3/8	P41 - Cream
RJI60P42SET2	1/4	P42 - Ivory
RJI80P42SET2	5/16	P42 - Ivory
RJI100P42SET2	3/8	P42 - Ivory
RJI60P43SET2	1/4	P43 - Peach
RJI80P43SET2	5/16	P43 - Peach
RJI100P43SET2	3/8	P43 - Peach
RJI60P44SET2	1/4	P44 - Soft Pink
RJI80P44SET2	5/16	P44 - Soft Pink
RJI100P44SET2	3/8	P44 - Soft Pink
RJI60P45SET2	1/4	P45 - Soft Blue
RJI80P45SET2	5/16	P45 - Soft Blue
RJI100P45SET2	3/8	P45 - Soft Blue
RJI60P46SET2	1/4	P46 - Soft Green
RJI80P46SET2	5/16	P46 - Soft Green
RJI100P46SET2	3/8	P46 - Soft Green
RJI60P51SET2	1/4	P51 - Black
RJI80P51SET2	5/16	P51 - Black
RJI100P51SET2	3/8	P51 - Black

RJC60P42SET2	1/4	P42 - Ivory
RJC80P42SET2	5/16	P42 - Ivory
RJC100P42SET2	3/8	P42 - Ivory
RJC60P43SET2	1/4	P43 - Peach
RJC80P43SET2	5/16	P43 - Peach
RJC100P43SET2	3/8	P43 - Peach
RJC60P44SET2	1/4	P44 - Soft Pink
RJC80P44SET2	5/16	P44 - Soft Pink
RJC100P44SET2	3/8	P44 - Soft Pink
RJC60P45SET2	1/4	P45 - Soft Blue
RJC80P45SET2	5/16	P45 - Soft Blue
RJC100P45SET2	3/8	P45 - Soft Blue
RJC60P46SET2	1/4	P46 - Soft Green
RJC80P46SET2	5/16	P46 - Soft Green
RJC100P46SET2	3/8	P46 - Soft Green
RJC60P51SET2	1/4	P51 - Black
RJC80P51SET2	5/16	P51 - Black
RJC100P51SET2	3/8	P51 - Black



Profilitec S.p.A.
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
Tel: +39 0444 268311
e-mail: profilitec@profilitec.com

Profilitec Corp.
e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
e-mail: iberica@profilitec.com

Profilitec France
e-mail: france@profilitec.com

APPLICATION

1. Choose the H-size profile corresponding to the thickness of the tile to be laid, taking care to ensure that the profile does not exceed the edge of the floor but is positioned 0.5 to 1 mm lower.
2. Spread the adhesive in the profile application area with the help of a notched trowel;
3. Cut the profile to the required length and place it so that the base sinks into the adhesive, pressing and aligning it;
4. Apply an additional layer of adhesive to the perforation and in the cavities of the vertical section of the profile in contact with the edge of the floor;
5. Generally leave a space of about 3/32" - 2 mm between the profile and the edge of the tile to be filled later with sealant or grout;
6. Remove any adhesive residue from the profile immediately.

N.B.: Aluminum profiles offer limited resistance to alkaline substances, so their use must be evaluated according to the expected chemical aggressions. Aluminum profiles in contact with cementitious substances can be attacked by corrosion processes, so residues of used adhesives and sealants should be removed immediately. When laying, the right amount of adhesive must be used and the right drying times observed, avoiding creating cavities in which water can stagnate, which would lead to the formation of alkaline substances (aluminum hydroxide) and trigger corrosive electrolytic phenomena.

CLEANING AND MAINTENANCE

STAINLESS STEEL:

Stainless steel is easy to clean and very hygienic because of its smooth, nonporous surface, which hinders the growth of bacteria. To keep it in good condition, simply wash it with warm soapy water, rinse it thoroughly and dry it with a soft cloth. If exposed to weathering, periodic cleaning is recommended to prevent corrosion. Brushed surfaces should be cleaned in the direction of brushing. In case of scratches, a specific polish can be used with a soft cloth.

Avoid cleaning agents containing hydrochloric acid, hydrofluoric acid or bleach, as well as abrasive products. Do not leave ordinary steel objects in contact with stainless steel to prevent contamination and rust stains. Also, do not leave damp patches or sponges on the surface to prevent water halos.

ALUMINIUM:

Aluminum requires no special maintenance.

For cleaning, use colorless alcohol diluted in water or neutral detergents, avoiding acidic ones (e.g., hydrochloric or hydrofluoric acid); use non-abrasive sponges or cloths to avoid damage. We recommend not applying cleaners directly to surfaces. After cleaning, rinse with water and dry immediately with a soft cloth. Avoid polishes. Quickly remove residual cement or grout to protect the surface.

BRASS:

Brass does not require special maintenance and is easily cleaned with alcohol diluted in water or with neutral detergents, avoiding those with an acidic base.

It is recommended to use water with mild detergents, ensuring the final rinse is with water only. To avoid scratches, use exclusively non-abrasive cloths or sponges. For maintenance, common polishes available on the market can be used.

SYNTHETIC RESIN:

Das thermoplastische Kunstharz erfordert keine besondere Wartung.

Es lässt sich leicht mit farblosem, in Wasser verdünntem Alkohol oder mit normalen, ebenfalls in Wasser verdünnten Reinigungsmitteln reinigen, sofern diese nicht säurehaltig sind. Spülen Sie es zum Schluss nur mit Wasser ab. Verwenden Sie nicht scheuernde Schwämme oder Tücher, um Kratzer auf der Oberfläche zu vermeiden.

Profilitec S.p.A.
 Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
 Tel: +39 0444 268311
 e-mail: profilitec@profilitec.com

Profilitec Corp.
 e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
 e-mail: iberica@profilitec.com

Profilitec France
 e-mail: france@profilitec.com

WARNINGS

These profiles should be handled with care, using cut-resistant gloves. The indications and prescriptions herein, while corresponding to our experience, are to be considered purely indicative and must be confirmed by exhaustive practical applications. Profilitec declines any responsibility for any damage to people or things resulting from improper use of the products. The user is required to determine whether or not the product is suitable for use and assumes all responsibility arising from incorrect installation of the material.

BILL OF QUANTITIES ITEM

Supply and installation of profile in _____ (material), with _____ finish (refer to the Material Description section) in the characteristic size _____ mm, equipped with a punched flange that guarantees a perfect grip with the adhesive used. Profile with dovetail inner part for better adhesive grip.

Family type _____ from the Profilitec company as a closing and protection profile for the wall covering to be supplied and installed properly, following the methods and fields of application suggested by the manufacturer.

Profile length: 2700 mm

Profile SKU: _____

Material: _____ \$/pc

Installation: _____ \$/pc

Totale price: _____ \$/pc

Profilitec S.p.A.
 Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
 Tel: +39 0444 268311
 e-mail: profilitec@profilitec.com

Profilitec Corp.
 e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
 e-mail: iberica@profilitec.com

Profilitec France
 e-mail: france@profilitec.com