

**KERAJOLLY KJ**

**PRODUCT DESCRIPTION**



KERAJOLLY profiles are designed to define sharp external wall corners and prevent chipping and cracking of fragile single-fired ceramic tiles. Easy to install, simply choose the size based on the thickness of the selected tile. KERAJOLLY trim profiles protect ceramic tiled wall corners against impact while guaranteeing safety standards and durability. The KERAJOLLY color range can also be matched with LISTEC decorative strips, proposing endless design possibilities.

**TECHNICAL FEATURES**

Length: 2,70 meters



Aluminum  
B = 3 mm



Brass  
B = 3 mm



Synthetic Resin  
B = 3 mm

**MATERIAL DESCRIPTION**

**Aluminum**

The primary aluminum alloy EN AW-6060 in T6 temper is suitable for complex extrusions, offering high strength and an excellent natural surface finish that lends itself well to subsequent finishing processes.

**ANODIZED ALUMINUM:**

The anodic oxidation process provides protection against corrosion caused by atmospheric agents, without involving galvanic treatments.


In accordance with the EN 12373 standard, profiles undergo preliminary treatments that create a uniformly matte surface. They are then colored through an electrochemical oxidation process in standard finishes: Silver, Gold, Bronze, Copper, and Titanium, with a coating thickness of up to 20 microns.

**BRIGHT POLISHED ALUMINUM:**

The brightening process consists of a mechanical-chemical polishing treatment and the subsequent anodic bath in Gold, Chrome, Copper and Titanium colors. The resulting profiles retain the same corrosion resistance as standard anodized profiles.

**POWDER COATED ALUMINUM:**

Powder coating begins with a chromium phosphate pre-treatment, followed by electrostatic application of polyester powders that offer high resistance to U.V. rays and atmospheric agents. The entire surface of the profile is coated with an average thickness of approximately 60 microns. A hot cross-linking polymerization process is then carried out to ensure maximum chemical and mechanical resistance.



## ACCESSORIES



KJC100AT

kerajolly >> KJ in Anodized Aluminum		
Item	H mm	Finish
KJ60AT270	6	AT - Titan
KJ80AT270	8	AT - Titan
KJ100AT270	10	AT - Titan
KJ125AT270	12,5	AT - Titan
KJ60AR270	6	AR - Copper
KJ80AR270	8	AR - Copper
KJ100AR270	10	AR - Copper
KJ125AR270	12,5	AR - Copper
KJ100AB270	10	AB - Bronze
KJ100AGR270	10	AGR - Graphite
KJ100AO270	10	AO - Gold

kerajolly >> KJ in Brushed Anodized Aluminum		
Item	H mm	Finish
KJ100ASS270	10	ASS - Brushed Silver
KJ60AMSB270	6	AMSB - Brus. an. ant. bronze
KJ80AMSB270	8	AMSB - Brus. an. ant. bronze
KJ100AMSB270	10	AMSB - Brus. an. ant. bronze
KJ125AMSB270	12,5	AMSB - Brus. an. ant. bronze
KJ80AGRS270	8	AGRS - Brushed graphite
KJ100AGRS270	10	AGRS - Brushed graphite
KJ125AGRS270	12,5	AGRS - Brushed graphite

keracapsule >> KJC in Anodized Aluminum		
Item	H mm	Finish
KJC80ATSET2	8	AT - Titan
KJC100ATSET2	10	AT - Titan
KJC125ATSET2	12,5	AT - Titan
KJC80ARSET2	8	AR - Copper
KJC100ARSET2	10	AR - Copper
KJC125ARSET2	12,5	AR - Copper
KJC100ABSET2	10	AB - Bronze
KJC100AGRSET2	10	AGR - Graphite
KJC100AOSET2	10	AO - Gold

keracapsule >> KJC in Brushed Anodized Aluminum		
Item	H mm	Finish
KJC100ASSSET2	10	ASS - Brushed Silver
KJC80AMSBSET2	8	AMSB - Brus. an. ant. bronze
KJC100AMSBSET2	10	AMSB - Brus. an. ant. bronze
KJC125AMSBSET2	12,5	AMSB - Brus. an. ant. bronze
KJC80AGRSSET2	8	AGRS - Brushed graphite
KJC100AGRSSET2	10	AGRS - Brushed graphite
KJC125AGRSSET2	12,5	AGRS - Brushed graphite

**Profilitec S.p.A.**  
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY  
Tel: +39 0444 268311  
e-mail: profilitec@profilitec.com

**Profilitec Corp.**  
e-mail: customerservice@profilitec.com

**Profilitec France**  
e-mail: france@profilitec.com

**Profilitec Ibérica, S.L.U.**  
e-mail: iberica@profilitec.com

kerajolly >> KJ in Bright Polished Anodized Aluminum		
Item	H mm	Finish
KJ60ASB270	6	ASB - Chrome
KJ80ASB270	8	ASB - Chrome
KJ100ASB270	10	ASB - Chrome
KJ110ASB270	11	ASB - Chrome
KJ125ASB270	12,5	ASB - Chrome
KJ80ATB270	8	ATB - Polished titanium
KJ100ATB270	10	ATB - Polished titanium
KJ125ATB270	12,5	ATB - Polished titanium
KJ100ARB270	10	ARB - Polished copper
KJ60AOB270	6	AOB - Polished gold
KJ80AOB270	8	AOB - Polished gold
KJ100AOB270	10	AOB - Polished gold
KJ125AOB270	12,5	AOB - Polished gold

keracapsule >> KJC in Bright Polished Anodized Aluminum		
Item	H mm	Finish
KJC80ASBSET2	8	ASB - Chrome
KJC100ASBSET2	10	ASB - Chrome
KJC110ASBSET2	11	ASB - Chrome
KJC125ASBSET2	12,5	ASB - Chrome
KJC80ATBSET2	8	ATB - Polished titanium
KJC100ATBSET2	10	ATB - Polished titanium
KJC125ATBSET2	12,5	ATB - Polished titanium
KJC100ARBSET2	10	ARB - Bright polished copper
KJC80AOBSET2	8	AOB - Polished gold
KJC100AOBSET2	10	AOB - Polished gold
KJC125AOBSET2	12,5	AOB - Polished gold

kerajolly >> KJ in Brushed Polished Anodized Aluminum		
Item	H mm	Finish
KJ60ASSB270	6	ASSB - Brus. br. pol. silver
KJ80ASSB270	8	ASSB - Brus. br. pol. silver
KJ100ASSB270	10	ASSB - Brus. br. pol. silver
KJ125ASSB270	12,5	ASSB - Brus. br. pol. silver
KJ100ADSB270	10	ADSB - Bright brus. black
KJ60ATSB270	6	ATSB - Brig. pol. brus. titanium
KJ80ATSB270	8	ATSB - Brig. pol. brus. titanium
KJ100ATSB270	10	ATSB - Brig. pol. brus. titanium
KJ125ATSB270	12,5	ATSB - Brig. pol. brus. titanium
KJ100ARSB270	10	ARSB - Bright brus. copper
KJ125ARSB270	12,5	ARSB - Bright brus. copper
KJ80ABSB270	8	ABSB - Champagne
KJ100ABSB270	10	ABSB - Champagne
KJ110ABSB270	11	ABSB - Champagne
KJ125ABSB270	12,5	ABSB - Champagne
KJ100AOSB270	10	AOSB - Bright brushed gold
KJ125AOSB270	12,5	AOSB - Bright brushed gold

keracapsule >> KJC in Brushed Polished Anodized Aluminum		
Item	H mm	Finish
KJC80ASSBSET2	8	ASSB - Brus. br. pol. silver
KJC100ASSBSET2	10	ASSB - Brus. br. pol. silver
KJC125ASSBSET2	12,5	ASSB - Brus. br. pol. silver
KJC100ADSBSET2	10	ADSB - Bright brus. black
KJC80ATSBSET2	8	ATSB - Brig. pol. brus. titanium
KJC100ATSBSET2	10	ATSB - Brig. pol. brus. titanium
KJC125ATSBSET2	12,5	ATSB - Brig. pol. brus. titanium
KJC100ARSBSET2	10	ARSB - Bright brus. copper
KJC125ARSBSET2	12,5	ARSB - Bright brus. copper
KJC80ABSBSET2	8	ABSB - Champagne
KJC100ABSBSET2	10	ABSB - Champagne
KJC110ABSBSET2	11	ABSB - Champagne
KJC125ABSBSET2	12,5	ABSB - Champagne
KJC100AOSBSET2	10	AOSB - Bright brushed gold
KJC125AOSBSET2	12,5	AOSB - Bright brushed gold



**Profilitec S.p.A.**  
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY  
Tel: +39 0444 268311  
e-mail: [profilitec@profilitec.com](mailto:profilitec@profilitec.com)

**Profilitec Corp.**  
e-mail: [customerservice@profilitec.com](mailto:customerservice@profilitec.com)

**Profilitec France**  
e-mail: [france@profilitec.com](mailto:france@profilitec.com)

**Profilitec Ibérica, S.L.U.**  
e-mail: [iberica@profilitec.com](mailto:iberica@profilitec.com)

kerajolly >> KJ in Powder Coated Aluminum		
Item	H mm	Finish
KJ60A11270	6	A11 - Pure White
KJ80A11270	8	A11 - Pure White
KJ100A11270	10	A11 - Pure White
KJ125A11270	12,5	A11 - Pure White
KJ60A12270	6	A12 - Ivory White
KJ80A12270	8	A12 - Ivory White
KJ100A12270	10	A12 - Ivory White
KJ125A12270	12,5	A12 - Ivory White
KJ60A21270	6	A21 - Light Grey
KJ80A21270	8	A21 - Light Grey
KJ100A21270	10	A21 - Light Grey
KJ125A21270	12,5	A21 - Light Grey
KJ60A22270	6	A22 - Pastel Grey
KJ80A22270	8	A22 - Pastel Grey
KJ100A22270	10	A22 - Pastel Grey
KJ125A22270	12,5	A22 - Pastel Grey
KJ60A23270	6	A23 - Cement Grey
KJ80A23270	8	A23 - Cement Grey
KJ100A23270	10	A23 - Cement Grey
KJ125A23270	12,5	A23 - Cement Grey
KJ60A31270	6	A31 - Beige Bahama
KJ80A31270	8	A31 - Beige Bahama
KJ100A31270	10	A31 - Beige Bahama
KJ125A31270	12,5	A31 - Beige Bahama
KJ60A32270	6	A32 - Dark Beige
KJ80A32270	8	A32 - Dark Beige
KJ100A32270	10	A32 - Dark Beige
KJ125A32270	12,5	A32 - Dark Beige
KJ60A41270	6	A41 - Cream
KJ80A41270	8	A41 - Cream
KJ100A41270	10	A41 - Cream
KJ125A41270	12,5	A41 - Cream
KJ60A42270	6	A42 - Ivory
KJ80A42270	8	A42 - Ivory
KJ100A42270	10	A42 - Ivory
KJ125A42270	12,5	A42 - Ivory
KJ60A51270	6	A51 - Black
KJ80A51270	8	A51 - Black
KJ100A51270	10	A51 - Black
KJ125A51270	12,5	A51 - Black
KJ60A54270	6	A54 - Matt Black
KJ80A54270	8	A54 - Matt Black
KJ100A54270	10	A54 - Matt Black
KJ125A54270	12,5	A54 - Matt Black
KJ60AM11270	6	AM11 - Matt White
KJ80AM11270	8	AM11 - Matt White
KJ100AM11270	10	AM11 - Matt White
KJ125AM11270	12,5	AM11 - Matt White

keracapsule >> KJC in Powder Coated Aluminum		
Item	H mm	Finish
KJC80A11SET2	8	A11 - Pure White
KJC100A11SET2	10	A11 - Pure White
KJC125A11SET2	12,5	A11 - Pure White
KJC80A12SET2	8	A12 - Ivory White
KJC100A12SET2	10	A12 - Ivory White
KJC125A12SET2	12,5	A12 - Ivory White
KJC80A21SET2	8	A21 - Light Grey
KJC100A21SET2	10	A21 - Light Grey
KJC125A21SET2	12,5	A21 - Light Grey
KJC80A22SET2	8	A22 - Pastel Grey
KJC100A22SET2	10	A22 - Pastel Grey
KJC125A22SET2	12,5	A22 - Pastel Grey
KJC80A23SET2	8	A23 - Cement Grey
KJC100A23SET2	10	A23 - Cement Grey
KJC125A23SET2	12,5	A23 - Cement Grey
KJC80A31SET2	8	A31 - Beige Bahama
KJC100A31SET2	10	A31 - Beige Bahama
KJC125A31SET2	12,5	A31 - Beige Bahama
KJC80A32SET2	8	A32 - Dark Beige
KJC100A32SET2	10	A32 - Dark Beige
KJC125A32SET2	12,5	A32 - Dark Beige
KJC80A41SET2	8	A41 - Cream
KJC100A41SET2	10	A41 - Cream
KJC125A41SET2	12,5	A41 - Cream
KJC80A42SET2	8	A42 - Ivory
KJC100A42SET2	10	A42 - Ivory
KJC125A42SET2	12,5	A42 - Ivory
KJC80A51SET2	8	A51 - Black
KJC100A51SET2	10	A51 - Black
KJC125A51SET2	12,5	A51 - Black
KJC80A54SET2	8	A54 - Matt black
KJC100A54SET2	10	A54 - Matt black
KJC125A54SET2	12,5	A54 - Matt black
KJC80AM11SET2	8	AM11 - Matt White
KJC100AM11SET2	10	AM11 - Matt White
KJC125AM11SET2	12,5	AM11 - Matt White



kerajolly >> KJ in Embossed Powder Coated Aluminum Modern Line		
Item	H mm	Finish
KJ80A13270	8	A13 - Antique White
KJ100A13270	10	A13 - Antique White
KJ110A13270	11	A13 - Antique White
KJ125A13270	12,5	A13 - Antique White
KJ80A24270	8	A24 - Embossed pastel grey
KJ100A24270	10	A24 - Embossed pastel grey
KJ110A24270	11	A24 - Embossed pastel grey
KJ125A24270	12,5	A24 - Embossed pastel grey
KJ80A25270	8	A25 - Embossed Cement Grey
KJ100A25270	10	A25 - Embossed Cement Grey
KJ110A25270	11	A25 - Embossed Cement Grey
KJ125A25270	12,5	A25 - Embossed Cement Grey
KJ80A33270	8	A33 - Embossed Dove-Grey
KJ100A33270	10	A33 - Embossed Dove-Grey
KJ110A33270	11	A33 - Embossed Dove-Grey
KJ125A33270	12,5	A33 - Embossed Dove-Grey
KJ80A34270	8	A34 - Embossed Kaki
KJ100A34270	10	A34 - Embossed Kaki
KJ110A34270	11	A34 - Embossed Kaki
KJ125A34270	12,5	A34 - Embossed Kaki
KJ80A50270	8	A50 - Embossed Micaceous
KJ100A50270	10	A50 - Embossed Micaceous
KJ110A50270	11	A50 - Embossed Micaceous
KJ125A50270	12,5	A50 - Embossed Micaceous
KJ80A60270	8	A60 - Embossed Corten
KJ100A60270	10	A60 - Embossed Corten
KJ110A60270	11	A60 - Embossed Corten
KJ125A60270	12,5	A60 - Embossed Corten
KJ100A62270	10	A62 - Red Brown
KJ100A63270	10	A63 - Dark Brown
KJ80A64270	8	A64 - Embossed Dark Brown
KJ100A64270	10	A64 - Embossed Dark Brown
KJ110A64270	11	A64 - Embossed Dark Brown
KJ125A64270	12,5	A64 - Embossed Dark Brown
KJ80A65270	8	A65 - Embossed matt Black
KJ100A65270	10	A65 - Embossed matt Black
KJ110A65270	11	A65 - Embossed matt Black
KJ125A65270	12,5	A65 - Embossed matt Black

keracapsule >> KJC in Embossed Powder Coated Aluminum Modern Line		
Item	H mm	Finish
KJC80A13SET2	8	A13 - Antique White
KJC100A13SET2	10	A13 - Antique White
KJC110A13SET2	11	A13 - Antique White
KJC125A13SET2	12,5	A13 - Antique White
KJC80A24SET2	8	A24 - Embossed pastel grey
KJC100A24SET2	10	A24 - Embossed pastel grey
KJC110A24SET2	11	A24 - Embossed pastel grey
KJC125A24SET2	12,5	A24 - Embossed pastel grey
KJC80A25SET2	8	A25 - Embossed Cement Grey
KJC100A25SET2	10	A25 - Embossed Cement Grey
KJC110A25SET2	11	A25 - Embossed Cement Grey
KJC125A25SET2	12,5	A25 - Embossed Cement Grey
KJC80A33SET2	8	A33 - Embossed Dove-Grey
KJC100A33SET2	10	A33 - Embossed Dove-Grey
KJC110A33SET2	11	A33 - Embossed Dove-Grey
KJC125A33SET2	12,5	A33 - Embossed Dove-Grey
KJC80A34SET2	8	A34 - Embossed kaki
KJC100A34SET2	10	A34 - Embossed kaki
KJC110A34SET2	11	A34 - Embossed kaki
KJC125A34SET2	12,5	A34 - Embossed kaki
KJC80A50SET2	8	A50 - Embossed Micaceous
KJC100A50SET2	10	A50 - Embossed Micaceous
KJC110A50SET2	11	A50 - Embossed Micaceous
KJC125A50SET2	12,5	A50 - Embossed Micaceous
KJC80A60SET2	8	A60 - Embossed Corten
KJC100A60SET2	10	A60 - Embossed Corten
KJC110A60SET2	11	A60 - Embossed Corten
KJC125A60SET2	12,5	A60 - Embossed Corten
KJC100A62SET2	10	A62 - Red Brown
KJC100A63SET2	10	A63 - Dark Brown
KJC80A64SET2	8	A64 - Embossed Dark Brown
KJC100A64SET2	10	A64 - Embossed Dark Brown
KJC110A64SET2	11	A64 - Embossed Dark Brown
KJC125A64SET2	12,5	A64 - Embossed Dark Brown
KJC80A65SET2	8	A65 - Embossed matt black
KJC100A65SET2	10	A65 - Embossed matt black
KJC110A65SET2	11	A65 - Embossed matt black
KJC125A65SET2	12,5	A65 - Embossed matt black



**Profilitec S.p.A.**  
 Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY  
 Tel: +39 0444 268311  
 e-mail: [profilitec@profilitec.com](mailto:profilitec@profilitec.com)

**Profilitec Corp.**  
 e-mail: [customerservice@profilitec.com](mailto:customerservice@profilitec.com)

**Profilitec France**  
 e-mail: [france@profilitec.com](mailto:france@profilitec.com)

**Profilitec Ibérica, S.L.U.**  
 e-mail: [iberica@profilitec.com](mailto:iberica@profilitec.com)

kerajolly >> KJ in Embossed Powder Coated Aluminum Match Line		
Item	H mm	Finish
KJ80A66270	8	A66 - Balance Grey
KJ100A66270	10	A66 - Balance Grey
KJ110A66270	11	A66 - Balance Grey
KJ125A66270	12,5	A66 - Balance Grey
KJ80A67270	8	A67 - Shaded Grey
KJ100A67270	10	A67 - Shaded Grey
KJ110A67270	11	A67 - Shaded Grey
KJ125A67270	12,5	A67 - Shaded Grey
KJ80A68270	8	A68 - Beige Bond
KJ100A68270	10	A68 - Beige Bond
KJ110A68270	11	A68 - Beige Bond
KJ125A68270	12,5	A68 - Beige Bond
KJ80A69270	8	A69 - White Reflection
KJ100A69270	10	A69 - White Reflection
KJ110A69270	11	A69 - White Reflection
KJ125A69270	12,5	A69 - White Reflection
KJ80A70270	8	A70 - Brown Melody
KJ100A70270	10	A70 - Brown Melody
KJ110A70270	11	A70 - Brown Melody
KJ125A70270	12,5	A70 - Brown Melody
KJ80A71270	8	A71 - Beige Harmony
KJ100A71270	10	A71 - Beige Harmony
KJ110A71270	11	A71 - Beige Harmony
KJ125A71270	12,5	A71 - Beige Harmony
KJ80A72270	8	A72 - Hazelnut Union
KJ100A72270	10	A72 - Hazelnut Union
KJ110A72270	11	A72 - Hazelnut Union
KJ125A72270	12,5	A72 - Hazelnut Union
KJ80A73270	8	A73 - Grey Encounter
KJ100A73270	10	A73 - Grey Encounter
KJ110A73270	11	A73 - Grey Encounter
KJ125A73270	12,5	A73 - Grey Encounter
KJ80A74270	8	A74 - Beige Fusion
KJ100A74270	10	A74 - Beige Fusion
KJ110A74270	11	A74 - Beige Fusion
KJ125A74270	12,5	A74 - Beige Fusion
KJ80A75270	8	A75 - Beige Continuous
KJ100A75270	10	A75 - Beige Continuous
KJ110A75270	11	A75 - Beige Continuous
KJ125A75270	12,5	A75 - Beige Continuous
KJ80A76270	8	A76 - Natural Hazelnut
KJ100A76270	10	A76 - Natural Hazelnut
KJ110A76270	11	A76 - Natural Hazelnut
KJ125A76270	12,5	A76 - Natural Hazelnut
KJ80A77270	8	A77 - Red Harmony
KJ100A77270	10	A77 - Red Harmony
KJ110A77270	11	A77 - Red Harmony
KJ125A77270	12,5	A77 - Red Harmony

keracapsule >> KJC in Embossed Powder Coated Aluminum Match Line		
Item	H mm	Finish
KJC80A66SET2	8	A66 - Balance Grey
KJC100A66SET2	10	A66 - Balance Grey
KJC110A66SET2	11	A66 - Balance Grey
KJC125A66SET2	12,5	A66 - Balance Grey
KJC80A67SET2	8	A67 - Shaded Grey
KJC100A67SET2	10	A67 - Shaded Grey
KJC110A67SET2	11	A67 - Shaded Grey
KJC125A67SET2	12,5	A67 - Shaded Grey
KJC80A68SET2	8	A68 - Beige Bond
KJC100A68SET2	10	A68 - Beige Bond
KJC110A68SET2	11	A68 - Beige Bond
KJC125A68SET2	12,5	A68 - Beige Bond
KJC80A69SET2	8	A69 - White Reflection
KJC100A69SET2	10	A69 - White Reflection
KJC110A69SET2	11	A69 - White Reflection
KJC125A69SET2	12,5	A69 - White Reflection
KJC80A70SET2	8	A70 - Brown Melody
KJC100A70SET2	10	A70 - Brown Melody
KJC110A70SET2	11	A70 - Brown Melody
KJC125A70SET2	12,5	A70 - Brown Melody
KJC80A71SET2	8	A71 - Beige Harmony
KJC100A71SET2	10	A71 - Beige Harmony
KJC110A71SET2	11	A71 - Beige Harmony
KJC125A71SET2	12,5	A71 - Beige Harmony
KJC80A72SET2	8	A72 - Hazelnut Union
KJC100A72SET2	10	A72 - Hazelnut Union
KJC110A72SET2	11	A72 - Hazelnut Union
KJC125A72SET2	12,5	A72 - Hazelnut Union
KJC80A73SET2	8	A73 - Grey Encounter
KJC100A73SET2	10	A73 - Grey Encounter
KJC110A73SET2	11	A73 - Grey Encounter
KJC125A73SET2	12,5	A73 - Grey Encounter
KJC80A74SET2	8	A74 - Beige Fusion
KJC100A74SET2	10	A74 - Beige Fusion
KJC110A74SET2	11	A74 - Beige Fusion
KJC125A74SET2	12,5	A74 - Beige Fusion
KJC80A75SET2	8	A75 - Beige Continuous
KJC100A75SET2	10	A75 - Beige Continuous
KJC110A75SET2	11	A75 - Beige Continuous
KJC125A75SET2	12,5	A75 - Beige Continuous
KJC80A76SET2	8	A76 - Natural Hazelnut
KJC100A76SET2	10	A76 - Natural Hazelnut
KJC110A76SET2	11	A76 - Natural Hazelnut
KJC125A76SET2	12,5	A76 - Natural Hazelnut
KJC80A77SET2	8	A77 - Red Harmony
KJC100A77SET2	10	A77 - Red Harmony
KJC110A77SET2	11	A77 - Red Harmony
KJC125A77SET2	12,5	A77 - Red Harmony

kerajolly >> KJ in Embossed Powder Coated Desert Line Aluminum		
Item	H mm	Finish
KJ80A01270	8	A01 - Embossed Namib
KJ100A01270	10	A01 - Embossed Namib
KJ110A01270	11	A01 - Embossed Namib
KJ125A01270	12,5	A01 - Embossed Namib
KJ80A02270	8	A02 - Embossed Yuma
KJ100A02270	10	A02 - Embossed Yuma
KJ110A02270	11	A02 - Embossed Yuma
KJ125A02270	12,5	A02 - Embossed Yuma
KJ80A03270	8	A03 - Embossed Sahara
KJ100A03270	10	A03 - Embossed Sahara
KJ110A03270	11	A03 - Embossed Sahara
KJ125A03270	12,5	A03 - Embossed Sahara
KJ80A04270	8	A04 - Embossed Kalahari
KJ100A04270	10	A04 - Embossed Kalahari
KJ110A04270	11	A04 - Embossed Kalahari
KJ125A04270	12,5	A04 - Embossed Kalahari
KJ80A05270	8	A05 - Embossed Gobi
KJ100A05270	10	A05 - Embossed Gobi
KJ110A05270	11	A05 - Embossed Gobi
KJ125A05270	12,5	A05 - Embossed Gobi
KJ80A06270	8	A06 - Embossed Atacama
KJ100A06270	10	A06 - Embossed Atacama
KJ110A06270	11	A06 - Embossed Atacama
KJ125A06270	12,5	A06 - Embossed Atacama
KJ80A07270	8	A07 - Patagonia
KJ100A07270	10	A07 - Patagonia
KJ110A07270	11	A07 - Patagonia
KJ125A07270	12,5	A07 - Patagonia
KJ80A14270	8	A14 - White arctic
KJ100A14270	10	A14 - White arctic
KJ110A14270	11	A14 - White arctic
KJ125A14270	12,5	A14 - White arctic

keracapsule >> KJC in Embossed Powder Coated Aluminum Desert Line		
Item	H mm	Finish
KJC80A01SET2	8	A01 - Embossed Namib
KJC100A01SET2	10	A01 - Embossed Namib
KJC110A01SET2	11	A01 - Embossed Namib
KJC125A01SET2	12,5	A01 - Embossed Namib
KJC80A02SET2	8	A02 - Embossed Yuma
KJC100A02SET2	10	A02 - Embossed Yuma
KJC110A02SET2	11	A02 - Embossed Yuma
KJC125A02SET2	12,5	A02 - Embossed Yuma
KJC80A03SET2	8	A03 - Embossed Sahara
KJC100A03SET2	10	A03 - Embossed Sahara
KJC110A03SET2	11	A03 - Embossed Sahara
KJC125A03SET2	12,5	A03 - Embossed Sahara
KJC80A04SET2	8	A04 - Embossed Kalahari
KJC100A04SET2	10	A04 - Embossed Kalahari
KJC110A04SET2	11	A04 - Embossed Kalahari
KJC125A04SET2	12,5	A04 - Embossed Kalahari
KJC80A05SET2	8	A05 - Embossed Gobi
KJC100A05SET2	10	A05 - Embossed Gobi
KJC110A05SET2	11	A05 - Embossed Gobi
KJC125A05SET2	12,5	A05 - Embossed Gobi
KJC80A06SET2	8	A06 - Embossed Atacama
KJC100A06SET2	10	A06 - Embossed Atacama
KJC110A06SET2	11	A06 - Embossed Atacama
KJC125A06SET2	12,5	A06 - Embossed Atacama
KJC80A07SET2	8	A07 - Patagonia
KJC100A07SET2	10	A07 - Patagonia
KJC110A07SET2	11	A07 - Patagonia
KJC125A07SET2	12,5	A07 - Patagonia
KJC80A14SET2	8	A14 - White arctic
KJC100A14SET2	10	A14 - White arctic
KJC110A14SET2	11	A14 - White arctic
KJC125A14SET2	12,5	A14 - White arctic



**Profilitec S.p.A.**  
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY  
Tel: +39 0444 268311  
e-mail: profilitec@profilitec.com

**Profilitec Corp.**  
e-mail: customerservice@profilitec.com

**Profilitec France**  
e-mail: france@profilitec.com

**Profilitec Ibérica, S.L.U.**  
e-mail: iberica@profilitec.com

## MATERIAL DESCRIPTION

### Brass

Profiles made from CW618N (EN 12167) brass alloy are characterized by high resistance to mechanical stress, making them particularly suitable for heavy-traffic applications, such as industrial settings and at expansion joints.

Brass is resistant to most chemical agents commonly encountered during the installation of ceramic coverings. However, in the presence of humidity or aggressive substances, the surface may develop superficial oxidation, which can be removed using a standard polishing product.

These profiles can be manufactured through either hot extrusion or cold forming from sheets of constant thickness.

#### CHROMED BRASS:

This finish is achieved through a galvanic process that imparts a bright, stainless steel-like appearance. The treatment offers excellent aesthetic results and excellent resistance to chemical agents, though it has limited resistance to surface impacts and prolonged abrasion.



OC

kerajolly >> KJ in Chromed Brass		
Item	H mm	Finish
KJ600C270	6	OC - Chrome
KJ800C270	8	OC - Chrome
KJ1000C270	10	OC - Chrome
KJ1250C270	12,5	OC - Chrome

## MATERIAL DESCRIPTION

### Synthetic Resin

RESINTOP Rigid thermoplastic synthetic resin:

This material is specifically formulated to optimize the performance of rigid profiles intended for permanent indoor and outdoor applications, where both aesthetic and durability requirements must be met. Produced from primary resin with a Polyvinyl Chloride (PVC)-based composition, it is suitable for a wide range of uses at temperatures up to +60°C. The selected raw material ensures excellent resistance to UV rays, limited mechanical impacts, and strong protection against the stagnation of fungi and bacteria.



P11



P12



P21



P22



P23



P31



P32



P41



P42



P51



#### Profilitec S.p.A.

Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY  
 Tel: +39 0444 268311  
 e-mail: [profilitec@profilitec.com](mailto:profilitec@profilitec.com)

#### Profilitec Corp.

e-mail: [customerservice@profilitec.com](mailto:customerservice@profilitec.com)

#### Profilitec France

e-mail: [france@profilitec.com](mailto:france@profilitec.com)

#### Profilitec Ibérica, S.L.U.

e-mail: [iberica@profilitec.com](mailto:iberica@profilitec.com)

kerajolly >> KJ in Synthetic Resin Full Body Colored Resintop		
Item	H mm	Finish
KJ60P11270	6	P11 - Pure White
KJ80P11270	8	P11 - Pure White
KJ100P11270	10	P11 - Pure White
KJ125P11270	12,5	P11 - Pure White
KJ60P12270	6	P12 - Ivory White
KJ80P12270	8	P12 - Ivory White
KJ100P12270	10	P12 - Ivory White
KJ125P12270	12,5	P12 - Ivory White
KJ60P21270	6	P21 - Light Grey
KJ80P21270	8	P21 - Light Grey
KJ100P21270	10	P21 - Light Grey
KJ125P21270	12,5	P21 - Light Grey
KJ60P22270	6	P22 - Pastel Grey
KJ80P22270	8	P22 - Pastel Grey
KJ100P22270	10	P22 - Pastel Grey
KJ125P22270	12,5	P22 - Pastel Grey
KJ60P23270	6	P23 - Cement Grey
KJ80P23270	8	P23 - Cement Grey
KJ100P23270	10	P23 - Cement Grey
KJ125P23270	12,5	P23 - Cement Grey
KJ60P31270	6	P31 - Beige Bahama
KJ80P31270	8	P31 - Beige Bahama
KJ100P31270	10	P31 - Beige Bahama
KJ125P31270	12,5	P31 - Beige Bahama
KJ60P32270	6	P32 - Dark Beige
KJ80P32270	8	P32 - Dark Beige
KJ100P32270	10	P32 - Dark Beige
KJ125P32270	12,5	P32 - Dark Beige

KJ60P41270	6	P41 - Cream
KJ80P41270	8	P41 - Cream
KJ100P41270	10	P41 - Cream
KJ125P41270	12,5	P41 - Cream
KJ60P42270	6	P42 - Ivory
KJ80P42270	8	P42 - Ivory
KJ100P42270	10	P42 - Ivory
KJ125P42270	12,5	P42 - Ivory
KJ60P51270	6	P51 - Black
KJ80P51270	8	P51 - Black
KJ100P51270	10	P51 - Black
KJ125P51270	12,5	P51 - Black

## APPLICATION

1. Choose the H-size profile corresponding to the thickness of the covering to be laid, taking care to ensure that the profile does not exceed the edge of the covering but is positioned 0,5 to 1 mm lower;
2. Spread the adhesive in the profile application area with the help of a notched trowel;
3. Cut the profile to the required length and place it with the perforated side in the adhesive, pressing and aligning it;
4. Apply an additional layer of adhesive to the perforation and in the cavities of the vertical section of the profile in contact with the edge of the cladding;
5. Tend to leave a gap of about 2 mm between the profile and the tile edge to be filled later with sealant or grout.

N.B.: Aluminum profiles offer limited resistance to alkaline substances, so their use must be evaluated according to the expected chemical aggressions. Aluminum profiles in contact with cementitious substances can be attacked by corrosion processes, so residues of used adhesives and sealants should be removed immediately. When laying, the right amount of adhesive must be used and the right drying times observed, avoiding creating cavities in which water can stagnate, which would lead to the formation of alkaline substances (aluminum hydroxide) and trigger corrosive electrolytic phenomena.

**Profilitec S.p.A.**  
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY  
Tel: +39 0444 268311  
e-mail: profilitec@profilitec.com

**Profilitec Corp.**  
e-mail: customerservice@profilitec.com

**Profilitec France**  
e-mail: france@profilitec.com

**Profilitec Ibérica, S.L.U.**  
e-mail: iberica@profilitec.com

## CLEANING AND MAINTENANCE

### ALUMINUM:

Aluminum requires no special maintenance.

For cleaning, use colorless alcohol diluted in water or neutral detergents, avoiding acidic ones (e.g., hydrochloric or hydrofluoric acid); use non-abrasive sponges or cloths to avoid damage. We recommend not applying cleaners directly to surfaces. After cleaning, rinse with water and dry immediately with a soft cloth. Avoid polishes. Quickly remove residual cement or grout to protect the surface.

### BRASS:

Brass does not require special maintenance and is easily cleaned with alcohol diluted in water or with neutral detergents, avoiding those with an acidic base.

It is recommended to use water with mild detergents, ensuring the final rinse is with water only. To avoid scratches, use exclusively non-abrasive cloths or sponges. For maintenance, common polishes available on the market can be used.

### SYNTHETIC RESIN:

Thermoplastic synthetic resin does not require any special maintenance.

It can be easily cleaned with colorless alcohol diluted in water or with normal detergents, provided they are not acid-based, also diluted in water; rinse with water only. Use non-abrasive sponges or cloths to avoid scratching the surface.

## WARNINGS

These profiles should be handled with care, using cut-resistant gloves. The indications and prescriptions herein, while corresponding to our experience, are to be considered purely indicative and must be confirmed by exhaustive practical applications. Profilitec declines any responsibility for any damage to people or things resulting from improper use of the products. The user is required to determine whether or not the product is suitable for use and assumes all responsibility arising from incorrect installation of the material.

## BILL OF QUANTITIES ITEM

Supply and installation of profile in \_\_\_\_\_ (material), with \_\_\_\_\_  
 \_\_\_\_\_ finish (refer to the Material Description section) in the characteristic size \_\_\_\_\_ mm,  
 equipped with a punched flange that guarantees a perfect grip with the adhesive used. Profile with dovetail inner part for  
 better adhesive grip.

Profile family type \_\_\_\_\_ of Profilitec company as a closing and protection profile for the covering,  
 to be supplied and installed in a professional manner, respecting the methods and application fields indicated by the  
 manufacturer.

Profile length: 2700 mm

Profile SKU: \_\_\_\_\_

Material: \_\_\_\_\_ €/m

Installation: \_\_\_\_\_ €/m

Totale price: \_\_\_\_\_ €/m